## **Premium Pallet Trucks**











# **New and Improved Design**




#### **Premium Standard Units**

- Cast pump
- Rubber grip handles
- Urethane Wheels
- 12 Lubrication points

### **Galvanised Units**

- Galvanised pump
- Rubber grip handles
- Nylon wheels
- 12 Lubrication points





## **Stainless Units**

- Stainless pump
- Rubber grip handles
- Nylon Wheels
- 12 Lubrication points

MODEL	WBF520SPW	WBF685SPW	WBFG520SPW	WBFG685SPW	WBF520SSNW	WBF685SSNW
CAPACITY	2500kg	2500kg	2500kg	2500kg	2500kg	2500kg
LOW FORK HEIGHT	85mm	85mm	85mm	85mm	85mm	85mm
STEER WHEEL	200mm	200mm	200mm	200mm	200mm	200mm
MAX LIFT HEIGHT	200mm	200mm	200mm	200mm	200mm	200mm
OVERALL LENGTH	1533mm	1533mm	1533mm	1533mm	1533mm	1533mm
FORK LENGTH	1150mm	1150mm	1150mm	1150mm	1150mm	1150mm
FORK WIDTH	520mm	685mm	520mm	685mm	520mm	685mm
TURNING RADIUS	1216mm	1336mm	1266mm	1336mm	1266mm	1336mm
UNIT WEIGHT	65kg	80kg	65kg	80kg	65kg	80kg

# Special Pallet Trucks













#### **Low Profile Pallet Truck**

- Low profile 520mm
- 1500kg capacity
- Urethane wheels









MODEL	WLP520SPW	WLP685SPW	WTR685SPW	WBF320SPW	WQF685SPW	WBT685SPW
CAPACITY	1500kg	1500kg	1500kg	2000kg	2500kg	2500kg
LOW FORK HEIGHT	52mm	52mm	85mm	75mm	85mm	85mm
STEER WHEEL	150mm	150mm	200mm	160mm	200mm	200mm
MAX LIFT HEIGHT	140mm	140mm	200mm	190mm	200mm	200mm
OVERALL LENGTH	1617mm	1617mm	1533mm	1200mm	1533mm	1533mm
FORK LENGTH	1150mm	1150mm	1150mm	800mm	1150mm	1150mm
FORK WIDTH	520mm	685mm	685mm	320mm	685mm	685mm
TURNING RADIUS	1286mm	1356mm	1336mm	1240mm	1336mm	1336mm
UNIT WEIGHT	65kg	80kg	85kg	65kg	85kg	85kg

# High Lift Pallet Trucks









## **Manual High Lift Pallet Trucks**

- Effective and versatile tool for manual handling
- Extra long front legs increase the stability when lifting unevenly loaded pallets
- 2 lateral stabilisers prevents movement when raised
- Easy placing of loads to correct ergonomic work height
- 3 stage mast



### **Electric High Lift Pallet Trucks**

- Support legs come into operation automatically which prevent units from moving when forks are raised
- Automatic slow descending speed when heavy goods are loaded to prevent cargo damage
- 2 lateral stabilisers prevents movement when raised
- Reduces physical effort and improves ergonomic conditions.
- 3 stage mast

MODEL	WJF520SPW	WJF685SPW	MODEL	WJF550SPWE	WJF685SPWE
CAPACITY	1000kg	1000kg	CAPACITY	1000kg	1000kg
LOW FORK HEIGHT	85mm	85mm	LOW FORK HEIGHT	85mm	85mm
STEER WHEEL	180 x 50mm	180 x 50mm	STEER WHEEL	180 x 50mm	180 x 50mm
MAX LIFT HEIGHT	815mm	815mm	MAX LIFT HEIGHT	800mm	800mm
OVERALL LENGTH	1515mm	1515mm	OVERALL LENGTH	1652mm	1652mm
FORK LENGTH	1150mm	1150mm	FORK LENGTH	1240mm	1240mm
FORK WIDTH	520mm	685mm	FORK WIDTH	550mm	685mm
TURNING RADIUS	1360mm	1360mm	TURNING RADIUS	1480mm	1480mm
UNIT WEIGHT	95kg	105kg	VOLTAGE	12V / 100Ah	12V / 100Ah
	•		LIFT MOTOR	0.7kW	0.7kW
			UNIT WEIGHT	181kg	181kg

## Scale Pallet Trucks





#### **Scale Pallet Trucks**

- All models available with or without printer
- Mobile pallet truck with scale combine two major functions weigh cargo when you want and move where you want
- Keypad and automatic tare fuctions
- 1.2 inch super large bright LED display
- Available in pounds or kilograms





MODEL	WBFC705SPW	WBFC11705SPW	WBFC6770SPW	WBFC67805SPW
CAPACITY	2000kg	2000kg	2000kg	2000kg
LOW FORK HEIGHT	85mm	85mm	85mm	85mm
STEER WHEEL	160mm	160mm	160mm	160mm
MAX LIFT HEIGHT	205mm	205mm	205mm	205mm
OVERALL LENGTH	1568mm	1568mm	1568mm	1568mm
FORK LENGTH	1150mm	1150mm	1150mm	1150mm
FORK WIDTH	705mm	705mm	705mm	705mm
MEASURE INTERVAL	+ or - 1kg	+ or - 1kg	+ or - 0.5kg	+ or - 0.5kg
POWER	Dry / rechargeable cell	Dry / rechargeable cell	Rechargeable cell	Rechargeable cell
UNIT WEIGHT	135kg	135kg	130kg	130kg

## **Electric Pallet Trucks**





## **Electric Drive / Manual Lift Pallet Trucks**





#### **Electric Drive and Lift Pallet Trucks**



MODEL	WCBD10A	WCBD10A111	WCBD14	WCBD20M
CAPACITY	1000kg	1500kg	1400kg	2000kg
FORK HEIGHT	85mm	85mm	85mm	85mm
MAX LIFT HEIGHT	200mm	200mm	203mm	205mm
OVERALL LENGTH	1755mm	1777mm	1660mm	1942mm
FORK WIDTH	680mm	680mm	650mm	685mm
TURNING RADIUS	1560mm	1588mm	1497mm	1720mm
TRAVEL SPEED	2.6 / 3.8 Km/h	4.5 / 4.5 Km/h	4.5 / 5 Kmh	4.5 / 6.2 Kmh
DRIVE MOTOR	0.5 kW	0.85 kW	0.5 kW	0.75 kW
VOLTAGE	24V / 38Ah	24V / 70 Ah	24V / 80Ah	24V / 200Ah
UNIT WEIGHT	150kg	205kg	260kg	500kg