

# JIALIFT®



[www.jialift.com.au](http://www.jialift.com.au)

## JL2126 Powered rotatable lift table

CE

- 2000kg Capacity;
- Min-max table height: 340 – 710mm
- Safe, reliable, sustainable and low maintenance

## 2T Powered rotatable lift table

- Powered Rotatable Electric Lift Table
- The pallet elevator is electric up, down and rotating top via pendant control
- It is ideal for varying weight pallets as there is no need to change springs
- Powered Rotation in both directions which can be set to rotate continuously.
- No ground fixing required
- Can be easily moved around factory with a forklift
- Power: 240V

**Warranty:** 1 Year refer to the JIALIFT warranty terms and conditions



### JIALIFT AUSTRALIA PTY LTD

Call Us: 1300 000 168 Email: [sales@jialift.com.au](mailto:sales@jialift.com.au)

46-48 Geddes St, Mulgrave VIC 3170 Open at 8:30 am - 5:30 pm, Monday-Friday



[www.jialift.com.au](http://www.jialift.com.au)

Distinguishing mark		
Model designation		JL2126
Load capacity	kg	2000
Min. lifting height	mm	340
Max. lifting height	mm	710
Weight		
Service weight	kg	190
Dimensions		
Platform size	mm	1110
Base Size	mm	935x915
Power supply	v	240



### JIALIFT AUSTRALIA PTY LTD

Call Us: 1300 000 168 Email: sales@jialift.com.au

46-48 Geddes St, Mulgrave VIC 3170 Open at 8:30 am - 5:30 pm, Monday-Friday



[www.jialift.com.au](http://www.jialift.com.au)