

MILITARY FORKLIFTS



LET LIFTKING DO THE HEAVY LIFTING

If your success depends on the efficient and effective lifting of heavy loads in rough terrain, you can count on the complete line of Liftking military forklifts to perform above and beyond the call of duty. Thousands of our units are doing the heavy lifting right now for the National Militaries of the United States, Canada, Great Britain, Australia, China, Saudi Arabia, Qatar, Oman, UAE, Chile, South Korea, Malaysia, and the United Nations. These vehicles range from small shipboard-approved forklifts to the largest articulating rough terrain forklift in the world.

Commitment to Service

environments.

customer locations.

Our priority will always be to keep your Liftking equipment

operating at peak performance, even in the most hostile

With more than 170 dealer locations around the globe, our online database, and our technicians on standby;

We mandate comprehensive operation, maintenance

Our dedicated Rebuild and Restore dept. can bring your

used Liftking forklift to better-than-new condition.

By incorporating design revisions and componentry

upgrades to the rebuild, your equipment will be once

and service training at both our location and at our


we provide 24/7 parts and service support.

Rebuild and Restore Services

We can supply units to meet Military, NATO, ANSI or STANAG requirements.

BATTLE TESTED FOR QUALITY AND PROVEN RELIABILITY

Utilizing over 45 years of expertise in designing, developing, and manufacturing material handling equipment, all of our forklifts are built rugged and reliable to exacting military standards following the strictest of quality controls according to ISO 9001. First Article Testing (FAT) of our models begins on our military-approved endurance track located adjacent to our manufacturing facility, allowing for real-time evaluation. Depending on the intended theater of operations, FAT may include NAVSEA approved Shock Testing, Electromagnetic Interference (EMI), Salt Fog and Environmental Chamber, DS Safety Rating, Capacity and Structure Overload, Water Fording, and Tractive Effort. Up to 500 hours of continuous (24/7) Endurance and Obstacle testing may also be a requirement to meet all specifications.



The Features You Need

Liftking military forklifts are loaded with innovative features to meet strict military standards and perform in any environment.

- our patented hydraulically-removable counterweight permits transportability in C-130 and C-5 aircraft without exceeding load limits
- the detachable mast and two-piece operator's cab on some of our vehicles facilitates disassembly to satisfy height restrictions during road or rail transportation
- our shipboard units can be built to withstand Sea State 5 conditions and 50G of force
- units can be designed to meet stringent EMI guidelines to ensure protection of sensitive equipment on board ships and aircraft
- the water-fording capability of some units permits continuous operation in water depths of up to 5 feet (1.5 meters)

Options:

Air conditioning • Digital weigh scale • Automatic fire suppression system • Automatic central greasing system
Blackout lighting system • 12V/24V electrical system • Nitrided cylinder rods • Cold weather package
Solar charging system • Remote locks with alarm • CCTV camera • CARC paint • Selection of mast, carriage and fork styles • Contact factory for other options.

CONTAINER HANDLERS | Up to 30 Ton Capacity



LK67C | Diesel, 4WD, Articulating

The LK67C is the largest 4WD articulating container handler in the world. Full electronic controls and redundant safety systems ensure maximum productivity.

	Imperial	Metric	
Capacity at 48 in (1220 mm) LC	67,000 lbs	30,390 kg	
Lift Height	217 in	5,500 mm	
Length (less forks)	333 in	8,460 mm	
Width	140 in	3,560 mm	
Height	135 in	3,430 mm	
Weight	140,000 lbs	63,483 kg	



LK50C | Diesel, 4WD, Articulating

The LK50C, with hydraulic spreader or fixed handler, can stack containers 3-high and has water-fording capability of up to 5 ft. (1.5 m).

	Imperial	Metric	
Capacity at 48 in (1220 mm) LC	55,000 lbs	25,000 kg	
Lift Height	116 in	2,947 mm	
Length (less forks)	318in	8,080 mm	
Width	134 in	3,400 mm	
Height	134 in	3,400 mm	
Weight	117,000 lbs	53,182 kg	

Hydraulically Removable Counterweight



LK35C | Diesel, 4WD, Articulating

The LK35C employs a compact design that enhances maneuverability and efficiency. Full electronic controls ease operation and increase comfort.

	Imperial	Metric
Capacity at 48 in (1220 mm) LC	35,000 lbs	15,875 kg
Lift Height	221in	5,610 mm
Length (less forks)	288 in	7,315 mm
Width	124 in	3,150 mm
Height	1318 in	3,330 mm
Weight	61,160 lbs	27,740 kg



LK20C | Diesel, 4WD, 4WS

The LK2OC is a rugged air transportable forklift with a hydraulic spreader or fixed handler and water-fording capability of up to 5 ft. (1.5 m).

	Imperial	Metric
Capacity at 48 in (1220 mm) LC	20,000 lbs	9,091 kg
Lift Height	215 in	5,461 mm
Length (less forks)	260 in	6,604 mm
Width	120 in	3,073 mm
Height	121 in	3,073 mm
Weight	43,000 lbs	19,454 kg



LK25P44 | Flip Cab, Diesel, 4WD, 4WS



LK16000 Diesel, 4WD, 4WS, DS Rated

The LK25P44 has a fork conveyor attachment and raised 2-piece cab for enhanced visibility that flips down to facilitate air transport.

	Imperial	Metric
Capacity at 48 in (1220 mm) LC	25,000 lbs	11,363 kg
Lift Height	130 in	3,302 mm
Length (less forks)	238 in	6,045 mm
Width	101 in	2,565 mm
Height	127 in	3,226 mm
Weight	40,000 lbs	18,182 kg

Hydraulically removable counterweight allows for quick conversion to air-transportability mode. Low profile cab and mast provide clearance in aircraft.

	Imperial	Metric
Capacity at 48 in (1220 mm) LC	16,000 lbs	7,255 kg
Lift Height	120 in	3 ,048 mm
Length (less forks)	223 in	5,664 mm
Width	101 in	2,565 mm
Height	95 in	2,413 mm
Weight	31,180 lbs	

LK10MT | Diesel, 4WD, 4WS, DS Rated



LKAF16 | Diesel, 4WD, 4WS, DS Rated

Wrap-around cab design offers excellent visibility. Frame sway and water-fording of up to 3 ft. (1 m) allows operation in the most adverse conditions.

Imperial	Metric
22,000 lbs	10,000kg
120 in	3,048mm
238 in	6,045 mm
103 in	2,613 mm
112 in	2,845 mm
41,000 lbs	18,636 kg
	22,000 lbs 120 in 238 in 103 in 112 in

The LKAF16 has a hydraulically removable counterweight allowing for air transportability. The low profile hood design offers excellent visibility.

	Imperial	Metric
Capacity at 48 in (1220 mm) LC	16,000 lbs	7,255 kg
Lift Height	120 in	3 ,050 mm
Length (less forks)	243 in	6,170 mm
Width	101 in	2,565 mm
Height	103 in	2,615 mm
Weight	28,160 lbs	Contract of the Internet Property of the Internet

LKCAN10 | Diesel, 4WD, 4WS, DS Rated



Low profile cab and mast for access in tight quarters.
Fork conveyor attachments allow for easy transfer
of palletized loads.

10,000 lbs	
10,000 103	4,545 kg
120 in	3 ,048 mm
204 in	5,180 mm
96 in	2,440 mm
91 in	2,310 mm
21,640 lbs	
	204 in 96 in 91 in



The LKUSN6's compact, low profile design makes it easy to transport by air, and it has ISO container de-stuffing capability.

	Imperial	Metric
Capacity at 24 in (610 mm) LC	6,000 lbs	2.727 kg
Lift Height	155 in	3.937 mm
Length (less forks)	195 in	4.953 mm
Width	80 in	2.032 mm
Height	85 in	2,159 mm
Weight	13,150 lbs	5,977 kg

GENERAL LIFT FORKLIFTS

LK67C Diesel, 4WD, Articulating 30,000 – 67,000 lbs (13,610 – 30,390 kg)



LK16M42 | Diesel, 4WD, 4WS 6,000 - 20,000 lbs (2,720 - 9,070 kg) The LK67C is the largest 4WD articulating forklift in the world. Full electronic controls and redundant safety systems ensure maximum productivity.

	Imperial	Metric
Capacity at 48 in (1220 mm) LC	67,000 lbs	30,390 kg
Lift Height (with forks)	134 in	3,400 mm
Length (less forks)	333 in	8,460 mm
Width	140 in	3,560 mm
Height	135 in	3,430 mm
Weight (with forks)	127,700 lbs	57,925 kg

Multitude of mast and carriage options offer high versatility to suit any application. Spacious cabin with split doors emphasize operator comfort.

	Imperial	Metric
Capacity at 24 in (610 mm) LC	16,000 lbs	7,265 kg
Lift Height	168 in	4,270 mm
Length (less forks)	179 in	4,550 mm
Width	98 in	2,490 mm
Height		2,540 mm
Weight	22,000 lbs	

LK8C | Diesel, 4WD,4WS, DS Rated 4,000 – 12,000 lbs (1,815 – 5,445 kg)



Compact dimensions and low profile design offers maximum versatility and capability in tight quarters. Tight turning radius enhances maneuverability.

Imperial	Metric
	3,630 kg
100 in	2,540 mm
156 in	3,960 mm
80 in	2,030 mm
80 in	2,030 mm
12,120 lbs	5,500 kg
	8,000 lbs 100 in 156 in 80 in 80 in



LK10P44 | Diesel, 4WD,4WS, DS Rated 6,000 – 16,000 lbs (2,720 – 7,265 kg)



LK6P44 Diesel, 4WD, 4WS 6,000 – 16,000 lbs (2,720 – 7,265 kg) 3 cab style options (low, mid, high) allows customer to choose between low profile accessibility and high profile visibility and comfort.

	Imperial	Metric
Capacity at 24 in (610 mm) LC	33,000 lbs	15,000 kg
Lift Height	180 in	4,570 mm
Length (less forks)	250 in	6,350 mm
Width	100 in	2,540 mm
Height	107 in	2,720 mm
Weight	45,240 lbs	20,520 kg

The LK10P44 is a compact air transportable forklift with an open cab, engineered for rough terrain and water-fording of up to 3 ft. (1 m).

	Imperial	Metric
Capacity at 24 in (610 mm) LC	10,000 lbs	4,545 kg
Lift Height	168 in	4,270 mm
Length (less forks)	161 in	4,090 mm
Width	88 in	2,235 mm
Height	110 in	2,795 mm
Weight	17,260 lbs	7,830 kg

A workhorse in any application, the LK6P44 is available with a large variety of masts, carriages, and attachments to fulfil any job quickly.

	Imperial	Metric
Capacity at 24 in (610 mm) LC	6,000 lbs	2,720 kg
Lift Height	168 in	4,270 mm
Length (less forks)	155 in	3,940 mm
Width	88 in	2,235 mm
Height		2,795 mm
Weight	13,520 lbs	6,135 kg