

LEGUAN 190



Uniquely available with the option of either 4 Wheel Drive for smoother, faster travel speed, or tracks for rougher terrain applications, the Monitor 190 can access many difficult locations and handle harsh applications with ease.

Being skid-steer, the Monitor 190 turns on the spot, and with all controls conveniently located in the platform, is very quick and easy to operate.

Featuring dual power sources, the Leguan is just as at home indoors as outdoors, making this machine one of the most versatile E.W.P's available.


The Monitor 190 Spider Lift is certified for two operators and the excellent outreach envelope ensures reliable and safe operations, all day, every day.


The strong all-steel construction guarantees a long trouble-free service life.





3 2 1 0 1 2 3 4 5 6 7 8 9 10 19 18 160 kg 120 kg 15 230 kg 13 6 3






Technical Specifications

Max working height	19.00 m
Max horizontal outreach	8.1 m (230kg) / 9.8 m (120kg)
Max rated capacity	230 kg
Weight	2680 kg
Turret rotation	360°
Basket rotation	90°
Ground pressure driving (approx)	tyres 306kN/m2 (tracks 74 kN/m2)
Max stabiliser force	20 kN
Max stabiliser pressure (std foot pad)	340 kN/m2
Traffic load (live load) travelling	4.56 kN/m2
Traffic load (live load) stabilised	2 kN/m2
Auto levelling	Yes
Max slope for stabilisers (no extra pads)	12°
Gradeability lengthwise	20°
Gradeability sideways	20°
Standard engine	Kubota 14 Hp Diesel
Dual power options	240V
Tracks	Optional
Max drive speed	5.2 km/h
Radio control	Std

(All specs E&OE and subject to change)









Our Locations Branches & Service Centres



Tamworth

143 Gunnedah Rd Tamworth NSW 2340



49-50 Cassola Pl Penrith NSW 2740



Melbourne

24-28 William Rd Dandenong South VIC 3175



Brisbane

191 Magnesium Dr




Brisbane - Caboolture

2 Alta Road Caboolture QLD 4510



Perth

11 Reihill Rd Maddington WA 6109



agent@monitor.net.au

1800 025 024 monitor.net.au









