

JIALIFT®



www.jialift.com.au

AC685G Galvanised Hand Pallet Jack

CE

- 2500kg Capacity, fork width - 685mm
- Easy to operate
- Safe, reliable, sustainable and low maintenance

JIALIFT Galvanised Hand Pallet Jack Fork length 1150mm , 2.5T/685mm

- AC type adopted the integrated casting process and the overall seal design, with the high-quality imported components for key parts, the pump cant leak even when the seal for pressure cylinder breaks.
- All the piston rods are chrome plated, which makes them good enough in heat resistance and hardness.
- Unlike the scattered parts, the pump valve core with the overall design is convenient for maintenance.
- With the overload protection on the valve, the pump cant lift when overloaded.

Warranty: 1 Year refer to the JIALIFT warranty terms and conditions



JIALIFT AUSTRALIA PTY LTD

Call Us: 1300 000 168 Email: sales@jialift.com.au
46-48 Geddes St, Mulgrave VIC 3170 Open at 8:30 am - 5:30 pm, Monday-Friday



www.jialift.com.au

Distinguishing mark		
Model designation		AC685G
Rated capacity	kg	2500
Cylinder Type		AC
Service weight	kg	65
Types, Chassis		
Tyre type		NL
Steering wheels (diameter x width)	mm	180x50
Carrying roller - Single round		80x93
Dimensions		
Min fork height	mm	85
Max fork height	mm	190
Single fork width	mm	160
Inner distance between two forks	mm	365
Outside fork width	mm	685
Fork length	mm	1150



JIALIFT AUSTRALIA PTY LTD

Call Us: 1300 000 168 Email: sales@jialift.com.au

46-48 Geddes St, Mulgrave VIC 3170 Open at 8:30 am - 5:30 pm, Monday-Friday



www.jialift.com.au