



**Electrolux**  
PROFESSIONAL

**Digital Cabinets**  
**1 Glass Door Wine Refrigerator, 170**  
**bottles, stainless steel with variable**  
**speed compressor**

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



720011 (WC170SSMZ)

1-glass door Wine Refrigerator for 170 bottles with stainless steel finish door and variable speed compressor

### Short Form Specification

**Item No.** \_\_\_\_\_

1 glass door refrigerator. Door frame in stainless steel. Dark interior with rounded corners and 45mm thick insulation. Triple glass door, UV-treated with security lock. Built-in refrigeration unit; LED digital temperature display. White LED internal light. Cell temperatures: from 5° to 22°C. For ambient temperatures up to 38°C. HCFC and CFC free insulation and R600 refrigerant gas. PE coated. Max. capacity: up to 170 bottles (750ml - bordeaux bottle).

### Main Features

- Model requires only 1 phase 230V supply and can be plugged straight into an existing power socket.
- Simple refrigeration system easily accessible from the rear of the units.
- Attractive presentation through glass door and lighting.
- Black UV-Treated glass door and dark storage area to not damage the wines.
- Unit features adjustable in height wooden shelves that allow different positioning of the bottles (vertical or horizontal).
- Vibration reduction system to avoid premature aging of the wines.
- Air circulation inside the cavity allows to keep ideal humidity level for corks and labels.
- Crystal white LED internal lights.
- Performance guaranteed at ambient temperatures of +38 °C.
- Unit features audio and visual alarm.
- Can storage up to 170 bottles (750ml - bordeaux bottle).
- Unit can be set as two variants:
  - as a multi-temp refrigerator, to serve different varieties at their perfect individual drinking temperatures
  - a single-zone refrigerator, setting top and bottom at the same temperature between 12° C and 14°C For long-term wine storage. With an identical setting for the top and bottom sections, the controls will maintain an even temperature throughout the cabinet.

### Construction

- All models in range are finished in top quality materials to aid durability.
- LED digital temperature display.
- Reversible door with security lock.

### Sustainability



- CFC and HCFC free (ecological refrigerant type: R600a).
- Variable speed compressor for better performance, lower energy consumption and lower noise level.

### Included Accessories


- 1 of Wooden display shelf for 1-glass door wine refrigerator, 170 bottles PNC 880551
- 6 of Wooden shelf for 1-glass door wine refrigerator, 170 bottles PNC 880554

APPROVAL: \_\_\_\_\_




Experience the Excellence  
[www.electroluxprofessional.com](http://www.electroluxprofessional.com)

Front




Side



EI = Electrical inlet (power)

Top


**Electric**

Supply voltage: 220-240 V/1N ph/50 Hz  
 Electrical power, max: 0.2 kW

**Capacity:**

Number and type of grids (included): 6+1 -

**Key Information:**

Net Volume: 368 lt  
 External dimensions, Width: 595 mm  
 External dimensions, Height: 1850 mm  
 Internal Dimensions, Width: 495 mm  
 Internal Dimensions, Depth: 460 mm  
 Internal Dimensions, Height: 1600 mm  
 Type of external material: Black Prepainted Steel

**Refrigeration Data**

Control type: Digital  
 Min/Max internal humidity: 30/80  
 Operating temperature min.: 5 °C  
 Operating temperature max.: 22 °C  
 Operating mode: Ventilated/Static  
 Cooling unit: Built-In  
 Defrost type: Automatic


**Sustainability**

Refrigerant type: R600a  
 GWP Index: 3  
 Refrigerant weight: 65 g



**Electrolux**  
PROFESSIONAL

**Digital Cabinets**  
**1 Glass Door Wine Refrigerator, 170 bottles,**  
**stainless steel with variable speed compressor**



### EU energy labelling from 1st July 2016

The European energy labelling scheme for professional refrigerators and freezers is based on requirements setting Minimum Energy Performance standards for commercial refrigeration cabinets sold within the EU.

These requirements are designed to drive energy efficiency and environmentally friendly approach for professionals. The European energy labelling scheme will apply to all manufacturers and importers who sell and market products within the EU and it is mandatory across Europe. Important: all products which consume energy above the minimum level will not be able to be sold within the EU from 1 July 2016.

SI 2020 No. 1528.

Important: all products which consume energy above the minimum level will not be able to be sold within the EU from 1 July 2016.



**Digital Cabinets**  
**1 Glass Door Wine Refrigerator, 170 bottles, stainless steel with variable**  
**speed compressor**  
The company reserves the right to make modifications to the products  
without prior notice. All information correct at time of printing.

2025.09.06