SPECIFICATION SHEET

HDM60

Heavy Duty Ride-On Zero-Turn Electric Mower



LONG RUNTIME WITH OPTIMAL COMFORT

60-inch commercial electric mowing with long battery runtime. The 26kW battery, fabricated steel deck and suspension seat support productive, comfortable operation across large turf areas.

MONEY BACK 60 DAY GUARANTEE

FAST FLEXIBLE FLEET HIRE / RENT / HIRE-TO-BUY

MACHINE & BATTERY 5 YEAR WARRANTY

CONQUEST

HDM60

Cover up to 24 acres per charge with a 60-inch deck, long battery life and zero-turn manoeuvrability.



Features & Benefits

1 UP TO 24 ACRES PER CHARGE

Covers large turf areas efficiently in suitable operating conditions.

2 60-INCH FABRICATED STEEL DECK

Delivers productive coverage with durable 8-gauge steel construction.

3 26KW BATTERY

Provides high-capacity electric power without petrol engine operation.

4 13 KM/H FORWARD SPEED

Helps crews move efficiently across large mowing areas.

5 4.3-INCH COLOUR DISPLAY

Shows charge, operating status and faults at a glance.



FULL-SUSPENSION HIGH-BACK SEAT

Improves operator comfort during extended mowing shifts.



AIRLESS TYRES

Removes tyre-pressure checks and helps reduce puncture downtime.

Scan to view video, manuals and more.

1800 100 150

conquesteg.com

CONQUEST

TECHNICAL SPECIFICATIONS

HDM60			
Deck Type	Fabricated 8-gauge steel, side discharge	**Reverse speed**	Up to 4.5 mph (7.2 km/h)
Cutting Width/Blades	60 in (1,524 mm nominal)	**Display**	4.3-inch full-colour LCD
Blades	3 x 520 mm blades	**Seat**	High-back, full suspension, adjustable position and armrests
Cutting height	1.5-4.75 in (38-121 mm), 13 positions	**Tyres**	Front 13 x 5-6 smooth airless; rear 24 x 12-12 turf airless
Battery	Lithium iron phosphate (LiFePO4), 76.8 V, 340 Ah, 26.112 kWh	**Overall length**	2,020 mm ROPS up; 2,184 mm ROPS down
Runtime	Up to 8.5 hours, dependent on operating conditions	**Overall height**	1,960 mm ROPS up; 1,473 mm ROPS down
Coverage	Up to 24 acres per charge, dependent on operating conditions	**Overall width**	1,390 mm without deck; 1,564 mm chute up; 1,856 mm chute down
Standard charger	220-240 V AC; approximately 10 hours	**Wheelbase**	1,330 mm
Optional fast charger	220-240 V AC; approximately 4.5 hours	**Machine weight**	740 kg (operator manual)
Drive motor	5 kW permanent-magnet brushless motor	**ROPS**	Folding rollover protection structure
Blade motors	1.8 kW brushless motors	**Headlights**	LED
Forward speed	Up to 13 mph (20.9 km/h)		







Scan to view video, manuals and more.

1800 100 150

conquesteg.com

CONQUEST