## Rittal - The System.

Faster – better – everywhere.

## Compact enclosures AE Stainless steel – AE 1007.600

Date : Dec 18, 2019



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

## Compact enclosures AE Stainless steel – AE 1007.600

created: 18.12.2019 build on www.rittal.com/uk-en



_			
		4000	ription
	400	4000	

Material: Enclosure: Stainless steel

Door: Stainless steel, all-round foamed-in PU seal

Mounting plate: Sheet steel Stainless steel 1.4301 (AISI 304) Lock insert: Die-cast zinc, nickel-plated

Surface finish: Enclosure and door: Brushed, grain 400, peak-to-valley height < 0.8 µm

Mounting plate: Zinc-plated

Protection category IP to IEC 60 529:

IP 66

Protection category NEMA:

NEMA 4X

IK Code:

**IK08** 

Supply includes:

Enclosure with door(s) Mounting plate

Lock: 3 mm double-bit

Basic material:

Stainless steel

## **Product features**

**Dimensions:** Width: 500 mm

Height: 500 mm Depth: 210 mm

Mounting plate:

Width: 449 mm

Height: 470 mm

© Rittal 2019

Number of doors:	1	
Lock version:	Cam	
Number of locks:	2	
Lock insert:	3 mm double-bit	
Packs of:	1 pc(s).	
Weight/pack:	15.7 kg	
EAN:	4028177000254	
Customs tariff number:	94032080	
ETIM 7.0:	EC000261	
ETIM 6.0:	EC000261	
e CI@ss 8.0/8.1:	27180101	
e CI@ss 6.0/6.1:	27180101	
Product description:	AE Compact enclosure, WHD: 500x500x210 mm, Stainless steel 1.4301, with mounting plate, single-door, with two cam locks	
Approvals		
Approvals:	CSA DNV-GL Lloyds Register of Shipping RRR Russian Maritime Register of Shipping TÜV UL + C-UL	
Certificates:	EAC IK-Code Protection category	
Declarations:	Declaration of conformity	

© Rittal 2019 2