



# Antares G2

## Asymmetrical Area Floodlight

---



**EarthLight**  <sup>TM</sup>  
TRADE

Industrial & Commercial Lighting  
[earthlight.com.au](http://earthlight.com.au)

# Antares G2

## Asymmetrical Area Floodlight

The new Antares Sports Series is the flagship high powered asymmetrical sports flood & area light in the Earthlight range. Available in 300-1800W options as well as advanced optics, to provide flexibility in lighting design for all levels, sporting codes, and whether it is large or small ball sports

- ✓ 0-10V or DALI Dimming options, compatible with leading lighting control systems
- ✓ Class I, II and III outdoor sports field optics
- ✓ Excellent thermal performance ability to 45° Ta
- ✓ IP67 Water-Dust proof / IK08 Shockproof
- ✓ Marine grade coatings and stainless-steel bracket options
- ✓ Optics for a variety of professional lighting applications
- ✓ Unique heatsink technology for greater thermal performance

**Great Performance with a Slim Profile**



earthlight.com.au  
1300 410 485  
sales@earthlight.com.au

# Antares G2







## Specifications

CODE	ETG-02AF001	ETG-02AF002	ETG-02AF003	ETG-02AF004	ETG-02AF005	ETG-02AF006	ETG-02AF007	ETG-02AF008	ETG-02AF009
Wattage (W)	300W	400W	500W	600W	800W	1000W	1200W	1500W	1800W
Luminous flux (lm)	44,100	62,600	71,200	88,200	125,300	142,400	170,800	202,500	237,600
Weight (Kg)	11.1	12.3	21.5	22.2	21.5	21.5	25.3	34.8	34.8
Luminous efficacy (lm/W)	140								
CCT	4000K (Optional 3000K, 5000K, 6500K)								
Ambient Temp	40°C to +55°C								
Lifespan	100,000 Hours								
IP Rating	IP67								
Electrical Class	Class 1								
Input Voltage	90-305VAC (347-480VAC optional)								




# Antares G2

## Dimensions



**EarthLight**  <sup>TM</sup>  
**TRADE**



Industrial & Commercial Lighting  
[EarthLight.com.au](http://EarthLight.com.au)

**ILLUMINATE**<sup>TM</sup>  
**BETTER**