

Connector TEMF 316 Stainless Steel



INDEX

Leaflet
Technical Drawings

WEB LINKS

Connector TEMF – 316 Stainless Steel Information Page
Ask a question / Send us an enquiry
Information about B&R
Local Sales Team Phone Numbers

Connector TE MF – 316 Stainless Steel



Features

- Mounting flanges for easy mounting
- Captive 316 stainless steel combo head screws
- Provisions for mounting DIN rails or a mounting pan increasing application flexibility
- Flat face gutter
- Easy installation
- FIP polyurethane gasket

Approvals

- CE marked
- Lloyds



OVERVIEW

The Connector TE MF/S is suitable for many applications where smaller enclosures are required. It has a flexible system for mounting electrical equipment which can be done via a mounting pan or DIN rail, both have been ergonomically designed for easy installation.

MATERIALS

- Body – 316 stainless steel
- Body thickness – 1.2mm
- Gasket - FIP polyurethane
- Surface finish – N4

APPLICATION

Typical applications include housing terminations, pushbuttons or switchgear in harsh environments where a robust enclosure is required.

INCLUSIONS

- Earth strap kit



Connector TE MF – 316 Stainless Steel

SELECTION GUIDE

Catalogue No.	Dimensions (mm)					Weight (kg)
	Height	Width	Depth	Total Height	Usable Depth	
TE1108MF/S	150	150	87	192	80	1.4
TE3112MF/S	300	150	127	342	120	2.6
TE2212MF/S	200	200	127	242	120	2.4
TE3212MF/S	300	200	127	342	120	3.1
TE4212MF/S	400	200	127	442	120	3.8
TE6212MF/S	600	200	127	642	120	5.1

ACCESSORIES

Product	Description	Catalogue No.
Mounting pan – 2mm metal (white)	122 x 120mm	TEMP11
	172 x 170mm	TEMP22
	272 x 120mm	TEMP31
	272 x 170mm	TEMP32
	372 x 170mm	TEMP42
	572 x 170mm	TEMP62
DIN Rail – Aluminium	140 x 35mm	TED1
	190 x 35mm	TED2
	290 x 35mm	TED3
	390 x 25mm	TED4
	590 x 35mm	TED5

National Sales

P 1300 Enclosures (1300 362 567)

F 1300 796 599

E sales@brenclosures.com.au

brenclosures.com.au

Queensland

North Queensland

New South Wales

Newcastle

P +61 7 3714 1111

P +61 7 4727 1900

P +61 2 9915 9555

P +61 2 4961 4433

Victoria

South Australia

Northern Territory

Western Australia

P +61 3 9552 0552

P +61 8 8417 6222

P +61 8 8947 0870


P +61 8 6310 4777




Connector TE MF – 316 Stainless Steel




Technical Drawings



Front View



Front View Door Removed
(showing internals)



Side View

Catalogue No.	Dimensions (mm)										No of fixings
	External						Fixing Centres		Opening		
	A	B	C	D	E	F	G	H	I	J	
TE1108MF/S	192	150	87	80	59	150	175	100	125	125	4
TE3112MF/S	342	150	127	120	99	200	325	100	275	125	4
TE2212MF/S	242	200	127	120	99	300	225	150	175	175	4
TE3212MF/S	342	200	127	120	99	300	325	150	275	175	4
TE4212MF/S	442	200	127	120	99	400	425	150	375	175	6
TE6212MF/S	642	200	127	120	99	600	625	150	575	175	6