Paxum® X1



High Efficiency Auto Height Detection

LCD Touch
Operating System

High Quality Components






Through innovative design and cutting-edge technology, the X1 Paxum Stretch Wrap Machine is the perfect pallet wrapping solution for any warehouse or distribution centre.

Features

- High efficiency and low energy consumption
- Automatic Photoelectric sensor detects pallet height
- Automatic film cutter
- Multi-layer function: This function can set different wrapping cycles and wrapping tension at any height, up to 9 layers per pallet.
- 400% pre-stretch film rate.
- Advanced Safety Technology Safety device under film carriage to protect the foot or head of the operator.
 - Transparent panel makes it easy to find problem without opening door.
 - Up and down belt deviation and damaged alarm system.
- High quality electrical components
- LCD Touch Operating System
- Automatic Rope Grip System
- Soft start and soft stop.
- Intelligent Alarm system with LED Indicator
- 1650mm turntable
- 2350mm wrapping height
- Max load weight: 2000KG
- 3 Year Warranty

Optional

- Ramp # 62211-R
- Photocell Sensor for Black Stretch Wrap















Specifications

Production Rate 30-40 loads/hour

Turntable Speed 0-13RPM(Adjustable)

Turntable Diameter1650mmMax. Load Weight2000kgsStd. Wrapping Height2350mm

Pre-stretch Rate 400% pre-stretch maximum

Voltage 240V Machine weight 800kg

Machine sizeL2763mm*W1650mm*H2747mmFilm Spec.500mm wide, 250mm diameter

PLC Siemens

Technical Data Operation Manual Extra Options Weighing Scales

Ramp

Photocell Sensor for Black Stretch Wrap

Warranty 3 Years

