


NEXUS PRO
FOR TRUE
COFFEE MASTERS



[AREMDE]



WWW.AREMDE.COM.AU

@AREMDEOFFICIAL

INFO@AREMDE.COM.AU




AREMDE

REMOVING THE WALL OF STEEL

The AREMDE partners came together: a designer, an engineer, an entrepreneur and a marketer. From different continents, from different cultures, but with one common goal: to remake the future of professional coffee.

They disliked what they saw in almost every coffee bar around the world. A wall of steel: also known as the traditional bulky espresso machine. Put in front of the cafe, you separate the barista from their customers. Placed against the back, it forces the baristas to turn their back on people. Where others accepted this as a given, we saw an opportunity. And we called it NEXUS One.



NEXUS PRO

FOR TRUE COFFEE MASTERS

Every problem is also a window of opportunity. You just have to open it up. And that's what we did. We literally designed a hole in the wall. Created less machine and more experience. So the connection and interaction between customer and barista is optimized to the max.

Real magic happens when you are able to translate state of the art technology into ease of use. To let all engineering possibilities available work together in order to produce a quality product like no other. We think we did with our NEXUS. So please, play it like a pro!



NEXUS PRO

MAJOR BENEFITS

NO EXTRA COST

On the occasion of introducing STYLUS One to the world we have simultaneously upgraded NEXUS One to NEXUS Pro. The new NEXUS Pro Package features four major benefits with no extra costs involved:

- ✓ Free custom colour and addition of logo.
- ✓ Extended warranty of 3 years.
- ✓ MODUS One, our modular undercounter system with integrated cup warmer trays included.
- ✓ White Glove Service, where we cooperate with our partners to check in on our NEXUS Pro customers on a monthly basis.



NEXUS ONE

THE THEATRE OF SKILLS

User centered


Everything is designed with customer experience in mind: the handle allows for easier and stronger grip, the chassis curvature ensures the group is within the Coffee Master's line of sight, the machine's low profile design allows for interaction with the audience.

Easy Touch

The buttons are designed to be simple and smart: short touch purges, longer touch latches until pressed again, freeing the Coffee Master's hand to perform.

Function Display

The display presents the essential parameters when needed (shot timer, group and steam temp etc.) everything else is managed by the software in the background.



Steam Control

Hot steam preserves while cooler steam is circulated back to boiler.

Smart Hot

The desired hot water temp is achieved using a cold water tempering valve after the boiler to get the temperature desired fast while maintaining boiler efficiency.

LED Spotlight

Since everything is about what is going to be in the cup, we ensured it stands out using LED spot lights to complement the experience.

Perfect Consistency

The technology integrated to the group head ensures temperature fluctuation is less than 0.2C. This ensures the perfect coffee extraction everytime.

Safe Steam

The lever is thermally insulated to be safe for the Coffee Master to operate and clean.

INCLUDING MODUS

IMPROVE WORKFLOW AND EFFICIENCY

MODUS uses the standard racks from the dishwasher as the placeholder to warm your coffee cups. Using the under counter boiler as the heat source, you conserve energy, tidy things up and save time.

There's just no need anymore to place those cups one by one on top of the counter after cleaning them. Just slide them all in on top of the boiler unit and they are heated and ready to use at a consistent temperature. Want to store your paper cups next to it? No problem. There is a MODUS element for that as well.



INCLUDING RADIUS

32 FREE COLOURS TO BLEND IN OR STAND OUT

Not only do we offer NEXUS One standard in stylish Onyx Black and Jasmine White, we also offer our exclusive Radius Colour Chart: a carefully curated collection of 32 colours for you to pick from. Our Radius Colour Chart has become iconic to our brand. But what about yours?

Want something more personal? We are now proud to offer custom colours and logo. Free of charge. If your exact colour of choice is not in our chart, or if you would like to add branding to your NEXUS One, our designers will work with you to create a design exclusive and unique to you.



NEXUS ONE

TECH SPECS



UNITS/VERSION	2 Group - 2 Steam - 1 Hot Water	3 Group - 2 Steam - 1 Hot Water
BODY	Stainless steel - 304/316 - Acrylic polyurethane with clearcoat	
BOILER	14 Litre steam - 1 Litre coffee (per group)	17 Litre steam - 1 Litre coffee (per group)
HYDRAULICS	Digital - adjustable steam and coffee temperatures made with copper, brass and stainless steel	
GROUP	2 x brass/stainless steel - Composite	3 x brass/stainless steel - Composite
STEAM	Dedicated Boiler copper - stainless-steel - 1.2 or 1.5mm supplied	
HOT WATER	Built in Economiser Electronic Dosage	
CUP WARMER	Optional accessory - stand alone	
ELECTRONICS	PID controlled heating, Micro-computer PCB (programmable)	
DOSAGE SYSTEM	Volumetric or Extraction Weight Based (Wexus)	
POWER	5200w/7300w (steam 4500w, coffee 1300w per group, pump 180w)	10100w/9700w (steam 5200w, coffee 1300w per group, pump 180w)
VOLTAGE	220-240VAC 50/60Hz - (240VAC - 32AMP)	220-240VAC 50/60Hz - (240VAC - 40AMP)
DIMENSIONS	CTU* L: 925 (36 7/16"), D: 230 (9"), H: 405 (15 15/16") UCU** A-Hydra L: 710 (27 15/16"), D: 346 (16 9/16"), H: 512 (20 3/16") UCU-B-Elec L: 604 (23 14/16"), D: 346 (16 9/16"), H: 142 (5 9/16")	
WEIGHT	95kg (CTU 40kg, UCU Electrical 15kg, UCU 40kg)	110kg (CTU 50kg, UCU Electrical 15kg, UCU 45kg)



MODUS ONE

TECH SPECS

UNITS/VERSION	MODUS ONE	
BODY	Stainless steel - 304/316 - Powdercoat	
THERMAL INSULATION*	Stainless steel/Fiberglass	
SIZE	2 GROUP	3 GROUP
FEATURES:		
DISHWASHING TRAYS	2	2
CUP DISPENSER	2 (1x SMALL 3200/1x MEDIUM 3400)	4 (1x SMALL 3200/3x MEDIUM 3400)
COLOUR	Satin Black	
DIMENSIONS: MODUS ONLY	L: 660 (25.9"), D:550 (21.6"), H:368 (14.5")	L: 900 (35.4"), D:550 (21.6"), H:368 (14.5")
DIMENSIONS: MODUS AND NEXUS**	L: 660 (25.9"), D:550 (21.6"), H:827 (32.6")	L: 900 (35.4"), D:550 (21.6"), H:827 (32.6")
WEIGHT	40KG	60KG

*MODUS One is not an electrical device

**Installation height- Modus /Mounted on Nexus UCU adjusted to the lowest setting



AREMDE COFFEE FUTURE REMADE