

# Paxum<sup>®</sup> S300

Paxum Inline Fully Automatic  
Pallet Wrapping Machine

#62208



**Programmable  
Control**

**Customizable  
Options**

**SIEMENS  
Control System**

**Remote Control  
Operation**

This cutting-edge machine, equipped with a Motor Drive Conveyor, is tailored to seamlessly integrate into your automatic production line. Partnered with high-quality Paxum Machine Stretch Film, it ensures unparalleled load containment and stability during transportation and storage.

## Features

- Customizable Wrapping Cycles
- Automatic Height Testing
- Stainless-Steel Conveyor
- 300% Pre-stretch Ratio
- Programmable Control
- SIEMENS PLC Controls
- Soft Start and Stop
- Ideal for Production Lines
- Maximum Load Capacity: 3000KG
- Efficient and Automatic
- Pallet Grip system
- Slewing Bearing Turntable
- Durable Conveyor
- Remote Control Operation
- 3 Year Warranty



## Specifications

<b>Maximum Wrapping Speed</b>	30-40 loads/hour	<b>Weighing Scale</b>	Optional
<b>Load Size Diagonal</b>	1753mm	<b>Machine Weight</b>	980KG
<b>Maximum Wrapping Height</b>	2400mm	<b>Machine Weight</b>	400KG
<b>Turntable Speed</b>	0-15RPM(Adjustable)	<b>Machine Size</b>	L:2000mm W:1800mm H:3700mm
<b>Turntable Size</b>	2000mm	<b>Turntable technology</b>	Slewing Ring
<b>Turntable Drive</b>	1.5PH	<b>Voltage</b>	380V/220V/50HZ 1phase
<b>Cut And Clamp Film</b>	Automatic (Heat type)	<b>Inverter</b>	X-Line
<b>Max load weight</b>	3000KG	<b>Position sensor</b>	SICK(Germany)
<b>Standard Film Width</b>	500mm	<b>PLC</b>	SIEMENS(Hongkong)
<b>Constant Film Delivery Force</b>	Standard	<b>Travel Switch</b>	OMRON(Japan)
<b>Standard Pre-Stretch</b>	300% pre-stretch	<b>Motor</b>	GPG
<b>Roller Materials</b>	Stainless Steel 201 diameter :89mm	<b>Relay</b>	OMRON(Japan)
<b>Film Capacity</b>	250mm Diameter	<b>Touch screen</b>	SIEMENS 7inch
<b>Film Delivery System</b>	Power Roller -Stretch Plus	<b>Switch</b>	Schneider
<b>Film Rope System</b>	Standard	<b>Warranty</b>	3 Years



 See me in action!

**Paxum® S300**