

The fastest way to collect trims in 1,1 kW and 150 liters container

Industrial vacuum for the collection of plastic, paper or textile trims. Its suction power, its features and its size make it the right vacuum to operate in packaging areas.

Model R 155 is equipped with a 1,1 kW threephase motor and a 150L container. It mounts a nylon filter, however specific filters for dust extraction are available. The threephase suction unit is placed under the container, the liner is spread out and completely open and all product vacuumed in is neatly compacted on the bottom, optimizing the container capacity.

- Small
- No maintenance needed
- Silent
- Easy and quick disposal of waste material
- High capacity
- Quick visual level control: plexiglass port-hole in the lid
- Specific liner filter for fine dust available
- Stainless steel version



Picture shown may not represent model quoted

• Standard equipment

Model	R155 V	R155 X
Ref. no.	4031600027	4031600035

PRODUCT FEATURES

Filter bag	•	•
Stainless steel filter chamber		•
Switch motor protector	•	•
Inspection window	•	•
N°2 inlets		

Technical specifications	R155 V	R155 X
Voltage (V)	400	400
Frequency (Hz)	50	50
IP protection class	55	55
Insulation class	F	F
Rated power (kW)	1.1	1.1
Airflow without hose (m³/h - l/m)	198 - 3300	198 - 3300
Max. vacuum (kPa - mbar)	21 - 210	21 - 210
Sound pressure level (dB(A))	72	72
Container capacity (L)	150	150
Main filter type	NYLON MOD. R560	NYLON MOD. R560
Main filter area (cm²)	14350	14350













The fastest way to collect trims in 1,1 kW and 150 liters container

Technical specifications













	R155 V	R155 X
Inlet (mm)	50	50
Length x width x height (mm)	660x660x1250	660x660x1250
Weight (kg)	47	47

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	R155 V	R155 X
Hose Vacuum Cleaner					
	50MM ANTI STATIC CUFF	Z7 20325	1	○	○
	ANT.POL BLACK HOSE D50	Z7 22369	1	○	○
	ANT.POL BLACK HOSE D50	Z7 22372	1	○	○
	ANT.POL BLACK HOSE D50 MT15+SLEEVES	4072200478	1	○	○
	ANTISTATIC HOSE FDA D40	4072400328	1	○	○
	ANTISTATIC HOSE FDA D40	4072400334	1	○	○
	ANTISTATIC HOSE FDA D40	4072400338	1	○	○
	ANTISTATIC HOSE FDA D50	4072400335	1	○	○
	ANTISTATIC HOSE FDA D50	4072400337	1	○	○
	EVAFLEX HOSE D50	Z7 22375	1	○	○





The fastest way to collect trims in 1,1 kW and 150 liters container

Accessories		Ref. no.	Min. required	R155 V	R155 X
	EVAFLEX HOSE D50	Z7 22377	1	○	○
	FLEX CONDUCTIVE HOSE D50 MT15+ SLEEVES	4072200481	1	○	○
	FLOWING PTFE SLEEVE D50	Z7 20326	1	○	○
	HANK CONDUCTIVE FLEX HOSE 30M LENGTH 50MM DIAMETER	4072400234	1	○	○
	HOSE FDA D40 5M + SLEEVES	4072400336	1	○	○
	HOSE FDA D50 10M + SLEEVES	4072400339	1	○	○
	POL HOSE D50 MT5+SLEEVES	Z7 22366	1	○	○
	POLYURETHANE HOSE 3MT	Z7 22298	1	○	○
	POLYURETHANE HOSE D50 15M +SLEEVES	4072200475	1	○	○
	SLEEVE D50	40000219	1	○	○
	SLEEVE D50 PVC	Z7 23023	1	○	○
	SLEEVE D50 RUBBER	Z7 20002	1	○	○
Hose and Connection					



The fastest way to collect trims in 1,1 kW and 150 liters container

Accessories		Ref. no.	Min. required	R155 V	R155 X
	SLEEVE FOR ANTISTATIC HOSE FDA D40	4072000358	1	○	○
	SLEEVE FOR ANTISTATIC HOSE FDA D50	4072000359	1	○	○