
6 PAD
VACUUM LIFTER



DESIGN FEATURES

700 KG WORKING LOAD LIMIT
This capacity allows the lifter to handle heavy slabs and materials efficiently, making it suitable for a wide range of applications in stone.

6 VACUUM PADS
Equipped with six vacuum pads, the lifter ensures secure and stable handling of materials by evenly distributing the load, reducing the risk of slippage or damage.

TILT TABLE FROM 0 TO 90°
The lifter can tilt materials from a horizontal to a vertical position, providing flexibility in positioning and making it easier to maneuver and place slabs with precision.

EASY TO OPERATE
Designed for user-friendliness, the vacuum lifter features intuitive controls and straightforward operation, allowing operators to use it efficiently with minimal training.


FARNESE MACHINERY

FARNESE 6 PAD VACUUM LIFTER

FEATURES

Farnese Australia was founded in 2000 by the Farnese family, whose members have decades of combined professional experience and expertise in both the global stone industry and the local stone machinery manufacturing industry. We are the only designer and manufacturer of stone fabrication machinery in Australia and our machines have found homes throughout Australia, New Zealand, the United States, the United Kingdom, and Vietnam.

With over 20 years of experience in the stone industry, the team at Farnese have the experience it takes to design, install and maintain the equipment needed in your industry.



FARNESE 6 PAD VACUUM LIFTER

FEATURES



6 Pad Lifter

The reach of the 6 pad lifter makes it perfect for larger slabs, particulary materials like natural stone and porcelain, where minimising any flexing of material is vital to avoid risk of breakage.



Easy Control

Each bank of vacuum pads can be controlled individually by the easy to access switches on the control box.



Simple Lever

A simple lever controls the movement of the lifter from 0° though to 90°



FARNESE 6 PAD VACUUM LIFTER


TECHNICAL SPECIFICATIONS

Dimensions of Installed Machine		
Length	2200 mm	86.6 in
Width	1800 mm	70.9 in
Height	850 mm	33.5 in
Weight	110 kg	242.0 lb
Load (Safe Working Limit)	700 kg	1540.0 lb

Equipment Ranges		
DIMENSION A (MIN-MAX)	1800-2170 mm	70-85 in
DIMENSION B (MIN-MAX)	1230-1800 mm	48-70 in
DIMENSION C (MIN-MAX)	1000-1800 mm	40-48 in
Air Pressure (Working)	7 bar	102 psi
Air Pressure (Consumption)	350 l/min	12 cfm
Cleaning Valve	YES	YES
Vacuum Gauge	YES	YES
Vacuum Generator	YES	YES
Vacuum Pads	YES	6 Pos

Connections Required (Supplied by Customer)

Power, Water, Compressed Air



We Know That Support Is Important To You.

Buying a new machine is a big commitment for anyone and continued support throughout the life of that machine is vital.

Being a local company, Farnese carry a vast array of parts locally to ensure that your machine always has the spares it needs. Enjoy peace of mind knowing that you'll be fully supported by Farnese and we'll always have you covered.

Farnese customers don't need to experience unnecessary machinery downtime waiting for remote assistance from other countries, as all the support and remote assistance is provided locally from our own qualified Technicians.

Our mission here at Farnese is to give you the best support in the industry. As we grow, we continue to recruit more and more qualified technicians to further strengthen our position in the Stone Industry.

FARNESE
MACHINERY