



URL: https://www.foodequipment.com.au/media/catalog/product/l/g/lg-1000sdbg_2.jpg

Large Black Sliding Two Glass Door Colourbond Upright Drink Fridge - LG-1000SDBG

Quick Overview

- Fashionable design with LED Lighting
- CFC-free insulation & refrigerant
- Low-energy consumption
- High cooling efficiency
- Illuminated canopy
- Vertical fluorescent lamp
- Easy adjustable shelves
- Sliding glass door
- External door handle
- 2 layer tempered door glass
- White powder coated steel plate
- Automatic defrost and condensate evaporation
- Heavy duty castors with brake
- Lock & key

Description

LG-1000SDBG Large Two Glass Door Colourbond Upright Drink Fridge - Black

The perfect display fridge for your business, this unit features a prominent black/white colour pattern with a large space for storage that aims to keep your ingredients cool and refreshed.

This upright beverage display fridge from refrigeration giant, Thermaster, is suitable for any hospitality establishment selling or stocking large quantities of food, stock or ingredients - particularly in restaurants and supermarkets.

This series features a unique sliding door for interior access. It also includes five levels of strong shelving, interior LED lighting, powerful embraco compressors, digital temperature control, fan-forced evaporator cooling, self-evaporating drainage and double-glazed doors for extra toughness and optimal viewing.

Two Large Door 1000 Litre

Refrigerated • 2 to 8 ° C

Ambient 38°C & 65% RH

- Fashionable design with LED Lighting
- CFC-free insulation & refrigerant
- Low-energy consumption
- High cooling efficiency
- Illuminated canopy
- Vertical fluorescent lamp
- Easy adjustable shelves
- Sliding glass door
- External door handle
- 2 layer tempered door glass
- White powder coated steel plate
- Automatic defrost and condensate evaporation
- Heavy duty castors with brake
- Lock & key

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	123
Width (mm)	1110
Depth (mm)	690
Height (mm)	2079
Packing Width (mm)	740
Packing Depth (mm)	1140
Packing Height (mm)	2110
Power	240V; 580W