

www.kassowrobots.com kassow robots
strong · fast · simple

Unique Efficiency

Kassow Robots was founded in Copenhagen, Denmark, and is developing and manufacturing unique and efficient 7-axis lightweight robots for industrial applications. The company's motto is „strong, fast, simple“. Its products offer speed and power, yet also have a long reach. The robots' user-friendliness provides businesses with greater flexibility, allowing SMEs without their own robotics specialists to achieve complex automation and programming cost-effectively and independently. What is more, the robots are compact enough for use in confined spaces.



KR810
850 mm/10 kg

Kassow Robots: Product Family

Model	Reach	Weight
KR105	1050 mm	5 kg
KR115	1150 mm	5 kg
KR125	1250 mm	5 kg
KR135	1350 mm	5 kg
KR145	1450 mm	5 kg
KR155	1550 mm	5 kg
KR165	1650 mm	5 kg
KR175	1750 mm	5 kg
KR185	1850 mm	5 kg
KR195	1950 mm	5 kg
KR205	2050 mm	5 kg
KR215	2150 mm	5 kg
KR225	2250 mm	5 kg
KR235	2350 mm	5 kg
KR245	2450 mm	5 kg
KR255	2550 mm	5 kg
KR265	2650 mm	5 kg
KR275	2750 mm	5 kg
KR285	2850 mm	5 kg
KR295	2950 mm	5 kg
KR305	3050 mm	5 kg
KR315	3150 mm	5 kg
KR325	3250 mm	5 kg
KR335	3350 mm	5 kg
KR345	3450 mm	5 kg
KR355	3550 mm	5 kg
KR365	3650 mm	5 kg
KR375	3750 mm	5 kg
KR385	3850 mm	5 kg
KR395	3950 mm	5 kg
KR405	4050 mm	5 kg
KR415	4150 mm	5 kg
KR425	4250 mm	5 kg
KR435	4350 mm	5 kg
KR445	4450 mm	5 kg
KR455	4550 mm	5 kg
KR465	4650 mm	5 kg
KR475	4750 mm	5 kg
KR485	4850 mm	5 kg
KR495	4950 mm	5 kg
KR505	5050 mm	5 kg
KR515	5150 mm	5 kg
KR525	5250 mm	5 kg
KR535	5350 mm	5 kg
KR545	5450 mm	5 kg
KR555	5550 mm	5 kg
KR565	5650 mm	5 kg
KR575	5750 mm	5 kg
KR585	5850 mm	5 kg
KR595	5950 mm	5 kg
KR605	6050 mm	5 kg
KR615	6150 mm	5 kg
KR625	6250 mm	5 kg
KR635	6350 mm	5 kg
KR645	6450 mm	5 kg
KR655	6550 mm	5 kg
KR665	6650 mm	5 kg
KR675	6750 mm	5 kg
KR685	6850 mm	5 kg
KR695	6950 mm	5 kg
KR705	7050 mm	5 kg
KR715	7150 mm	5 kg
KR725	7250 mm	5 kg
KR735	7350 mm	5 kg
KR745	7450 mm	5 kg
KR755	7550 mm	5 kg
KR765	7650 mm	5 kg
KR775	7750 mm	5 kg
KR785	7850 mm	5 kg
KR795	7950 mm	5 kg
KR805	8050 mm	5 kg
KR815	8150 mm	5 kg
KR825	8250 mm	5 kg
KR835	8350 mm	5 kg
KR845	8450 mm	5 kg
KR855	8550 mm	5 kg
KR865	8650 mm	5 kg
KR875	8750 mm	5 kg
KR885	8850 mm	5 kg
KR895	8950 mm	5 kg
KR905	9050 mm	5 kg
KR915	9150 mm	5 kg
KR925	9250 mm	5 kg
KR935	9350 mm	5 kg
KR945	9450 mm	5 kg
KR955	9550 mm	5 kg
KR965	9650 mm	5 kg
KR975	9750 mm	5 kg
KR985	9850 mm	5 kg
KR995	9950 mm	5 kg
KR1005	10050 mm	5 kg

You will find the technical specifications in the manual or on the website www.kassowrobots.com

Contact
Kassow Robots
Sønderhøjvej 22
2770 Maria Lyngby
+45 22 24 24 95
info@kassowrobots.com
www.kassowrobots.com

7 Axes Collaborative Strong Fast Simple Flexible Danish

www.kassowrobots.com kassow robots
strong · fast · simple

Unique Efficiency

Kassow Robots was founded in Copenhagen, Denmark, and is developing and manufacturing unique and efficient 7-axis lightweight robots for industrial applications. The company's motto is „strong, fast, simple“. Its products offer speed and power, yet also have a long reach. The robots' user-friendliness provides businesses with greater flexibility, allowing SMEs without their own robotics specialists to achieve complex automation and programming cost-effectively and independently. What is more, the robots are compact enough for use in confined spaces.



NEW KR1018
1000 mm/18 kg

Kassow Robots: Product Family

Model	Reach	Weight
KR105	1050 mm	5 kg
KR115	1150 mm	5 kg
KR125	1250 mm	5 kg
KR135	1350 mm	5 kg
KR145	1450 mm	5 kg
KR155	1550 mm	5 kg
KR165	1650 mm	5 kg
KR175	1750 mm	5 kg
KR185	1850 mm	5 kg
KR195	1950 mm	5 kg
KR205	2050 mm	5 kg
KR215	2150 mm	5 kg
KR225	2250 mm	5 kg
KR235	2350 mm	5 kg
KR245	2450 mm	5 kg
KR255	2550 mm	5 kg
KR265	2650 mm	5 kg
KR275	2750 mm	5 kg
KR285	2850 mm	5 kg
KR295	2950 mm	5 kg
KR305	3050 mm	5 kg
KR315	3150 mm	5 kg
KR325	3250 mm	5 kg
KR335	3350 mm	5 kg
KR345	3450 mm	5 kg
KR355	3550 mm	5 kg
KR365	3650 mm	5 kg
KR375	3750 mm	5 kg
KR385	3850 mm	5 kg
KR395	3950 mm	5 kg
KR405	4050 mm	5 kg
KR415	4150 mm	5 kg
KR425	4250 mm	5 kg
KR435	4350 mm	5 kg
KR445	4450 mm	5 kg
KR455	4550 mm	5 kg
KR465	4650 mm	5 kg
KR475	4750 mm	5 kg
KR485	4850 mm	5 kg
KR495	4950 mm	5 kg
KR505	5050 mm	5 kg
KR515	5150 mm	5 kg
KR525	5250 mm	5 kg
KR535	5350 mm	5 kg
KR545	5450 mm	5 kg
KR555	5550 mm	5 kg
KR565	5650 mm	5 kg
KR575	5750 mm	5 kg
KR585	5850 mm	5 kg
KR595	5950 mm	5 kg
KR605	6050 mm	5 kg
KR615	6150 mm	5 kg
KR625	6250 mm	5 kg
KR635	6350 mm	5 kg
KR645	6450 mm	5 kg
KR655	6550 mm	5 kg
KR665	6650 mm	5 kg
KR675	6750 mm	5 kg
KR685	6850 mm	5 kg
KR695	6950 mm	5 kg
KR705	7050 mm	5 kg
KR715	7150 mm	5 kg
KR725	7250 mm	5 kg
KR735	7350 mm	5 kg
KR745	7450 mm	5 kg
KR755	7550 mm	5 kg
KR765	7650 mm	5 kg
KR775	7750 mm	5 kg
KR785	7850 mm	5 kg
KR795	7950 mm	5 kg
KR805	8050 mm	5 kg
KR815	8150 mm	5 kg
KR825	8250 mm	5 kg
KR835	8350 mm	5 kg
KR845	8450 mm	5 kg
KR855	8550 mm	5 kg
KR865	8650 mm	5 kg
KR875	8750 mm	5 kg
KR885	8850 mm	5 kg
KR895	8950 mm	5 kg
KR905	9050 mm	5 kg
KR915	9150 mm	5 kg
KR925	9250 mm	5 kg
KR935	9350 mm	5 kg
KR945	9450 mm	5 kg
KR955	9550 mm	5 kg
KR965	9650 mm	5 kg
KR975	9750 mm	5 kg
KR985	9850 mm	5 kg
KR995	9950 mm	5 kg
KR1005	10050 mm	5 kg

You will find the technical specifications in the manual or on the website www.kassowrobots.com

Contact
Kassow Robots
Sønderhøjvej 22
2770 Maria Lyngby
+45 22 24 24 95
info@kassowrobots.com
www.kassowrobots.com

7 Axes Collaborative Strong Fast Simple Flexible Danish

www.kassowrobots.com kassow robots
strong · fast · simple

Unique Efficiency

Kassow Robots was founded in Copenhagen, Denmark, and is developing and manufacturing unique and efficient 7-axis lightweight robots for industrial applications. The company's motto is „strong, fast, simple“. Its products offer speed and power, yet also have a long reach. The robots' user-friendliness provides businesses with greater flexibility, allowing SMEs without their own robotics specialists to achieve complex automation and programming cost-effectively and independently. What is more, the robots are compact enough for use in confined spaces.



KR1205
1200 mm/5 kg

Kassow Robots: Product Family

Model	Reach	Weight
KR105	1050 mm	5 kg
KR115	1150 mm	5 kg
KR125	1250 mm	5 kg
KR135	1350 mm	5 kg
KR145	1450 mm	5 kg
KR155	1550 mm	5 kg
KR165	1650 mm	5 kg
KR175	1750 mm	5 kg
KR185	1850 mm	5 kg
KR195	1950 mm	5 kg
KR205	2050 mm	5 kg
KR215	2150 mm	5 kg
KR225	2250 mm	5 kg
KR235	2350 mm	5 kg
KR245	2450 mm	5 kg
KR255	2550 mm	5 kg
KR265	2650 mm	5 kg
KR275	2750 mm	5 kg
KR285	2850 mm	5 kg
KR295	2950 mm	5 kg
KR305	3050 mm	5 kg
KR315	3150 mm	5 kg
KR325	3250 mm	5 kg
KR335	3350 mm	5 kg
KR345	3450 mm	5 kg
KR355	3550 mm	5 kg
KR365	3650 mm	5 kg
KR375	3750 mm	5 kg
KR385	3850 mm	5 kg
KR395	3950 mm	5 kg
KR405	4050 mm	5 kg
KR415	4150 mm	5 kg
KR425	4250 mm	5 kg
KR435	4350 mm	5 kg
KR445	4450 mm	5 kg
KR455	4550 mm	5 kg
KR465	4650 mm	5 kg
KR475	4750 mm	5 kg
KR485	4850 mm	5 kg
KR495	4950 mm	5 kg
KR505	5050 mm	5 kg
KR515	5150 mm	5 kg
KR525	5250 mm	5 kg
KR535	5350 mm	5 kg
KR545	5450 mm	5 kg
KR555	5550 mm	5 kg
KR565	5650 mm	5 kg
KR575	5750 mm	5 kg
KR585	5850 mm	5 kg
KR595	5950 mm	5 kg
KR605	6050 mm	5 kg
KR615	6150 mm	5 kg
KR625	6250 mm	5 kg
KR635	6350 mm	5 kg
KR645	6450 mm	5 kg
KR655	6550 mm	5 kg
KR665	6650 mm	5 kg
KR675	6750 mm	5 kg
KR685	6850 mm	5 kg
KR695	6950 mm	5 kg
KR705	7050 mm	5 kg
KR715	7150 mm	5 kg
KR725	7250 mm	5 kg
KR735	7350 mm	5 kg
KR745	7450 mm	5 kg
KR755	7550 mm	5 kg
KR765	7650 mm	5 kg
KR775	7750 mm	5 kg
KR785	7850 mm	5 kg
KR795	7950 mm	5 kg
KR805	8050 mm	5 kg
KR815	8150 mm	5 kg
KR825	8250 mm	5 kg
KR835	8350 mm	5 kg
KR845	8450 mm	5 kg
KR855	8550 mm	5 kg
KR865	8650 mm	5 kg
KR875	8750 mm	5 kg
KR885	8850 mm	5 kg
KR895	8950 mm	5 kg
KR905	9050 mm	5 kg
KR915	9150 mm	5 kg
KR925	9250 mm	5 kg
KR935	9350 mm	5 kg
KR945	9450 mm	5 kg
KR955	9550 mm	5 kg
KR965	9650 mm	5 kg
KR975	9750 mm	5 kg
KR985	9850 mm	5 kg
KR995	9950 mm	5 kg
KR1005	10050 mm	5 kg

You will find the technical specifications in the manual or on the website www.kassowrobots.com

Contact
Kassow Robots
Sønderhøjvej 22
2770 Maria Lyngby
+45 22 24 24 95
info@kassowrobots.com
www.kassowrobots.com

7 Axes Collaborative Strong Fast Simple Flexible Danish

www.kassowrobots.com kassow robots
strong · fast · simple

Unique Efficiency

Kassow Robots was founded in Copenhagen, Denmark, and is developing and manufacturing unique and efficient 7-axis lightweight robots for industrial applications. The company's motto is „strong, fast, simple“. Its products offer speed and power, yet also have a long reach. The robots' user-friendliness provides businesses with greater flexibility, allowing SMEs without their own robotics specialists to achieve complex automation and programming cost-effectively and independently. What is more, the robots are compact enough for use in confined spaces.



KR1410
1400 mm/10 kg

Kassow Robots: Product Family

Model	Reach	Weight
KR105	1050 mm	5 kg
KR115	1150 mm	5 kg
KR125	1250 mm	5 kg
KR135	1350 mm	5 kg
KR145	1450 mm	5 kg
KR155	1550 mm	5 kg
KR165	1650 mm	5 kg
KR175	1750 mm	5 kg
KR185	1850 mm	5 kg
KR195	1950 mm	5 kg
KR205	2050 mm	5 kg
KR215	2150 mm	5 kg
KR225	2250 mm	5 kg
KR235	2350 mm	5 kg
KR245	2450 mm	5 kg
KR255	2550 mm	5 kg
KR265	2650 mm	5 kg
KR275	2750 mm	5 kg
KR285	2850 mm	5 kg
KR295	2950 mm	5 kg
KR305	3050 mm	5 kg
KR315	3150 mm	5 kg
KR325	32	

Unique Efficiency

Kassow Robots was founded in Copenhagen, Denmark, and is developing and manufacturing unique and efficient 7-axis lightweight robots for industrial applications. The company's motto is „strong, fast, simple“. Its products offer speed and power, yet also have a long reach. The robots' user-friendliness provides businesses with greater flexibility, allowing SMEs without their own robotics specialists to achieve complex automation and programming cost-effectively and independently. What is more, the robots are compact enough for use in confined spaces.



KR810
850 mm/10 kg



Contact

Kassow Robots
Oliefabriksvej 57
2770 Kastrup, DENMARK
+45 20 24 09 95
sales@kassowrobots.com
www.kassowrobots.com

Kassow Robots: Product Family

	Reach/Payload
KR810	850 mm/10 kg
KR1018	1000 mm/18 kg
KR1205	1200 mm/5 kg
KR1410	1400 mm/10 kg
KR1805	1800 mm/5 kg

You will find the technical specifications and the technical drawings in separate data sheets.

Unique Efficiency

Kassow Robots was founded in Copenhagen, Denmark, and is developing and manufacturing unique and efficient 7-axis lightweight robots for industrial applications. The company's motto is „strong, fast, simple“. Its products offer speed and power, yet also have a long reach. The robots' user-friendliness provides businesses with greater flexibility, allowing SMEs without their own robotics specialists to achieve complex automation and programming cost-effectively and independently. What is more, the robots are compact enough for use in confined spaces.



NEW

KR1018

1000 mm/18 kg

Kassow Robots: Product Family

	Reach/Payload
KR810	850 mm/10 kg
KR1018	1000 mm/18 kg
KR1205	1200 mm/5 kg
KR1410	1400 mm/10 kg
KR1805	1800 mm/5 kg

You will find the technical specifications and the technical drawings in separate data sheets.



Contact

Kassow Robots
Oliefabriksvej 57
2770 Kastrup, DENMARK
+45 20 24 09 95
sales@kassowrobots.com
www.kassowrobots.com

Unique Efficiency



KR1205
1200 mm/5 kg

Kassow Robots was founded in Copenhagen, Denmark, and is developing and manufacturing unique and efficient 7-axis lightweight robots for industrial applications. The company's motto is „strong, fast, simple“. Its products offer speed and power, yet also have a long reach. The robots' user-friendliness provides businesses with greater flexibility, allowing SMEs without their own robotics specialists to achieve complex automation and programming cost-effectively and independently. What is more, the robots are compact enough for use in confined spaces.

Kassow Robots: Product Family

	Reach/Payload
KR810	850 mm/10 kg
KR1018	1000 mm/18 kg
KR1205	1200 mm/5 kg
KR1410	1400 mm/10 kg
KR1805	1800 mm/5 kg

You will find the technical specifications and the technical drawings in separate data sheets.



Contact

Kassow Robots
Oliefabriksvej 57
2770 Kastrup, DENMARK
+45 20 24 09 95
sales@kassowrobots.com
www.kassowrobots.com

Unique Efficiency

KR1410
1400 mm/10 kg

Kassow Robots: Product Family

	Reach/Payload
KR810	850 mm/10 kg
KR1018	1000 mm/18 kg
KR1205	1200 mm/5 kg
KR1410	1400 mm/10 kg
KR1805	1800 mm/5 kg

You will find the technical specifications and the technical drawings in separate data sheets.



Contact

Kassow Robots
Oliefabriksvej 57
2770 Kastrup, DENMARK
+45 20 24 09 95
sales@kassowrobots.com
www.kassowrobots.com

Kassow Robots was founded in Copenhagen, Denmark, and is developing and manufacturing unique and efficient 7-axis lightweight robots for industrial applications. The company's motto is „strong, fast, simple“. Its products offer speed and power, yet also have a long reach. The robots' user-friendliness provides businesses with greater flexibility, allowing SMEs without their own robotics specialists to achieve complex automation and programming cost-effectively and independently. What is more, the cobots are compact enough for use in confined spaces.

Unique Efficiency



Contact

Kassow Robots
Oliefabriksvej 57
2770 Kastrup, DENMARK
+45 20 24 09 95
sales@kassowrobots.com
www.kassowrobots.com

KR1805
1800 mm/5 kg

Kassow Robots: Product Family

	Reach/Payload
KR810	850 mm/10 kg
KR1018	1000 mm/18 kg
KR1205	1200 mm/5 kg
KR1410	1400 mm/10 kg
KR1805	1800 mm/5 kg

You will find the technical specifications and the technical drawings in separate data sheets.

Kassow Robots was founded in Copenhagen, Denmark, and is developing and manufacturing unique and efficient 7-axis lightweight robots for industrial applications. The company's motto is „strong, fast, simple“. Its products offer speed and power, yet also have a long reach. The robots' user-friendliness provides businesses with greater flexibility, allowing SMEs without their own robotics specialists to achieve complex automation and programming cost-effectively and independently. What is more, the cobots are compact enough for use in confined spaces.