



ENERPAT TWO SHAFT SHREDDER

MSB-E300




COTENTS

- 01 Photos
- 02 Configuration
- 03 Specification
- 04 Our Customer



Machine Photos






Machine Specification



Configuration Parameters		MSB-E300	
Blades		Material :Alloy Steel	
		Original:Germany	
		Hardness:HRC55-58	
Motor		Rated Power :7.5kw	
		Rated Speed :960rpm	
Main Technical Specifications			
Shredding Chamber		320×300mm	
Blade Width		20/30mm	
Dimensions And Shipping			
Overall Size(L×W×H)		1700mm×725mm×1790mm	
Hopper Opening(L×W)		640×630mm	
Shipping Weight:		0.65tons	
Package		Wood Box Package	
Applications(For Small Size Waste)			
Mixed Waste		Wood	
Plastics		Medical Waste	
Paper/ Cardboard		Document Destruction	
Pharmaceuticals		Product Destruction	
Organic Waste		Glass	
Light Electronic Scrap		Light Gauge Metals	
Fibers/Mattress		Textiles	
Optional Configuration			
Conveyor Feeding In/Out		Wheels	
Service Capacities			
Gear Box Tank		25 liter	
Gear Oil		U.S Mobil	600XP





Schneider
Electric

PLC



Schneider
Electric

Touch Screen



SIEMENS

Motor



OMRON

Switch



Rexroth
Bosch Group

Valves



ENERPAT

Cylinders



HYDAC

Filters



Hallite
Former Advanced Sealing Technologies

Sealing



Enterprise customers



Mercedes-Benz

BENZ



SNOW



REW



KING LONG



COSCO



P&G



FAG



MARCK



MAERSK



CLW



HAITIAN



VW



YAZAKI



CSSC



JO TUN



CAT



BASF




VALSPA



BAYER



SUZUKI





THANKS AND WELCOME

ENERPAT GROUP UK LTD

