

Pipe & Fitting End Peelers

Hand scraping is no longer permitted as a way of preparing pressure pipe and fittings for Electrofusion welding in Australia.

Rotary Peelers are required for all pressure applications. The versatile Rotary Peelers on this page are an essential tool for every professional poly welder.

Their special advantage is the unique ability to peel both pipe ends and spigot fittings, making it perfect for all aspects of EF welding.

[HIRE ME](#)




20-63mm

SCR/63V1

75-180mm

SCR/180V1





75-315mm

SCR/315-180V1

160-315mm

SCR/315V1




200-400mm

SCR/400V1

450-800mm

SCR/800V2



Pipe & Fitting End Peelers



Uni Peeler

Individually sized making them great for small work spaces with replaceable carbide blades.
63-315mm size range

Rotational Peeler


With durable replaceable carbide blade, these rotational peelers are easy to use and ergonomic.

Sizes:

20-63mm

20-125mm

90-315mm



Rotational Chain Peeler

Sizes:

250-450mm

250-800mm

800-1200mm

Battery powered chain peeler - self driven

Make it easy to peel large diameter pipe with this self driving, battery operated chain peeler. Comes with 2 batteries, 1 charger and a spare blade.

Sizes:

400-800mm (with optional extension 900-1000mm)

800-1200mm



Pipe Rollers

On the ground

Roller stand for up to Ø315mm, 200kg capacity

216-100-307

Roller stand for up to Ø630mm

SRP.0T

Roller stand for up to Ø760mm, 700kg capacity

216-100-198

Adjustable height

Roller stand for up to Ø710 mm, capacity 500kg

216-100-233

Adjustable width

Roller stand for Ø400-1500 mm, capacity 2000kg

216-100-200



Drill Powered Pipe End Peeler Tool




The Plasson Drill Powered Pipe End Peeler's innovative design enables rapid and consistent peeling of a wide range of small diameter PE pipes.

Mandrels are available for pipes from DN20 to DN75 to suit various SDR's. The DN20 and DN25 mandrels will accommodate both SDR11 and Series 2 gas pipe.

Features

- ✓ Fast and consistent peel depth over the complete weld surface
- ✓ Operates via a standard USB chargeable cordless drill
- ✓ Meets the requirements of the PIPA POP001 Guidelines and gas installation standard AS4645.3 which do not allow hand scraping tools





SIMPLY, UNIQUE!

TURBO is the innovative pipe peeler **patented by RITMO** for pipes and fittings ranging from **Ø 20 to 125mm SDR 6 to 11**.

TURBO **Ø 20 to 63mm** can both face and peel pipe, TURBO **Ø 75 to 125mm** peels pipe. TURBO is simple and easy to use. This incredible pipe peeler can work in confined spaces substantially reducing working times, especially during repair operations.

The rotating tool allows fast and precise peeling, without defects. Ø 20 to 63mm TURBO's blades also allow the perfect facing of the pipe ends which may have been roughly cut due to a situation which makes the use of a pipe cutter difficult, like narrow spaces.



Sizes Ø 25 to 63mm are available to peel and face, Ø 75 to 125mm are available to peel, according to the pipe size. TURBO has to be used with a cordless driver.

**PATENTED
BY RITMO**

**EASY
TO USE**

PRECISE

FAST



Pipe to face
and peel

1. Faced Pipe

2. Peeled Pipe

DUAL FUNCTION Ø 20 – 63mm

Model Sizes	Working Range	SDR Range	Peeling Length Max	Weight	Item Code
TURBO 20	Ø 20mm	SDR 6 - 11	45mm	0.4kg	RITB99890000
TURBO 25	Ø 25mm	SDR 6 - 11	45mm	0.5kg	RITB99890001
TURBO 32	Ø 32mm	SDR 6 - 11	45mm	0.6kg	RITB99890002
TURBO 40	Ø 40mm	SDR 6 - 11	55mm	0.8kg	RITB99890003
TURBO 50	Ø 50mm	SDR 6 - 11	55mm	1.0kg	RITB99890004
TURBO 63	Ø 63mm	SDR 6 - 11	55mm	1.3kg	RITB99890005




Pipe to peel


Peeled Pipe

NEW MODELS Ø 75 – 125mm

Model Sizes	Working Range	SDR Range	Peeling Length Max	Weight	Item Code
TURBO 75	Ø 75mm	SDR 6 - 21	90mm	0.9kg	RITB99890069
TURBO 90	Ø 90mm	SDR 6 - 17	99mm	1.0kg	RITB99890071
TURBO 110	Ø 110mm	SDR 6 - 17	100mm	1.2kg	RITB99890072
TURBO 125	Ø 125mm	SDR 6 - 17	100mm	1.3kg	RITB99890073



Pipe & Fitting End Peelers



Rotary peeling tool 63-250

For pipe sizes 63-250mm
4 sided tungsten scraping tip
Lightweight die-cast aluminium body
Spring loaded tip for irregular shaped pipe
Suitable for all SDR rated pipe
130mm scrape length
0.25mm \pm 0.05mm cut depth

Rotary peeling tool 63-315

For pipe sizes 63-315mm
Extended scraping length ideal for slip coupler installations
CNC machine aluminium body
Spring loaded cutting tip for irregular shaped pipe
Suitable for all SDR rated pipe
340mm scrape length
0.25mm \pm 0.05mm cut depth



Rotary peeling tool 90-400

For pipe sizes 90-400mm
4 sided tungsten scraping tip
Lightweight die-cast aluminium body
Spring loaded tip for irregular shaped pipe
Suitable for all SDR rated pipe
150mm scrape length
0.25mm \pm 0.05mm cut depth

Rotary peeling tool 125-500

For pipe sizes 125-500mm
4 sided tungsten scraping tip
Lightweight die-cast aluminium body
Spring loaded tip for irregular shaped pipe
Suitable for all SDR rated pipe
180mm scrape length
0.25mm \pm 0.05mm cut depth



Rotary peeling tool 450-710

For pipe sizes 450-710mm
4 sided tungsten scraping tip
Lightweight aluminium body
Spring loaded tip for irregular shaped pipe
Suitable for all SDR rated pipe
345mm scrape length
0.25mm \pm 0.05mm cut depth