




CHRONOS • FSH Series

**Form fill and seal
bagging machine**



Form fill and seal bagging machine



UP TO 35 BAG PER MINUTE*

*Depending on product type

Performance

We have been making constant progress to make this system as performant as possible

Cost efficiency

The system allows you to reduce a great amount of packaging material costs and provides a good return on investment.

Versatility

This system can be adapted to different range of loose fill materials in bags ranging from 4.5 to 100 quarts (5 to 110 liters)



Did you know that our FFS is the only system that was designed with safety fencing? In fact, the frame design is a little bit larger for an easy maintenance on the maintenance without having to remove any guard.

Bulk materials



Fibers



Flake



Granules



Pellets

Bag types




Centre-folded film

Bag materials

Polyethylene (PE)

[REQUEST A QUOTE >](#)

Typical equipment dimensions



Top view



Side view

Operating system

PLC

Electrical requirements

600V, 60 Hz

Operating temperature

0°C to 35°C

* Depending on model and configuration selected

Features

Packages a wide range of loose-fill materials in bags of various sizes

Provides the widest range of bag options

Many film roll support configurations to fit layouts constraints

Ergonomic design providing good visibility and allowing easy adjustments and maintenance operations inside the guarded area

Robust industrial construction ensures durability and long lifespan

Automatic detection system for overfilled and non-filled bags

Intuitive HMI enables operators to optimize production rates by quickly identifying equipment slowdown factors

Only one control panel for all electrical components

Options

Complete infeed system

Weighing scales and volumetric feeders

Size adjustable filling chute for quick bag size changeovers

Pneumatic film roll support for efficient roll handling

Integrated bottom gusset former and corner sealer

Settling device for best top seal integrity

Bag top trimmer for clean looking bags

Perforated holes to facilitate air removal before palletizing

Conveyor height adjustment system



Lifetime

Client Solutions

Premier Tech Client Solutions take a personalized approach to **lifecycle management**, creating enhanced solutions customized to your specific needs that develop your own capabilities and operational habits, and help you achieve and maintain productivity.

The Client Solutions' passionate team acts as a **partner** by maintaining constant collaboration and putting your interests at the heart of daily decisions throughout your equipment's lifecycle.

Our programs are designed to help you reach your highest **Overall Equipment Effectiveness (OEE)** and maximize your **Return on Investment (ROI)** by providing you with the most valuable lifecycle services in the industry focusing on critical areas such as **24/7 technical support, spare parts, field service, training, system assessments and optimization.**



PT Systems and Automation



[PTSYSTEMSAUTOMATION.COM](https://www.ptsystemsautomation.com)

The information contained in this brochure is based upon the latest information available at the time of publication and is designed to provide you with a general introduction to our products. We make no warranties or representations as to its accuracy. We are continually updating and improving our products and reserve the right to amend, discontinue or alter specifications and prices without prior notice. Premier Tech is a registered trademark of Premier Tech Ltd.

20230718
© Premier Tech Ltd, 2023