








BI-ENERGY

 Diesel
14,7 kW

 Single-phase
Electric motor
230VAC - 2,2 kW



12 m	13 m	7,5 m	L1	L2	W1	W2	W3
250 kg	120 kg	250/120 kg	4971 mm	6542 mm	4853 mm	3732 mm	2610 mm



TSJ 25/C		25 m	13 m	250 kg	660°	180x70 cm	90°+80°	2,61-4,85 m	32%	36%	1 km/h	3950 kg	26 kN	1,64 kN/m ²	3,38 kN/m ²
TSJ 25/R		25 m	13 m	250 kg	660°	180x70 cm	90°+80°	2,61-4,85 m	32%	19%	1 km/h	3950 kg	26 kN	1,64 kN/m ²	3,38 kN/m ²

Available power options:

BI-ENERGY (DIESEL+AC)

ECO (AC+BATTERY)

HYBRID (DIESEL+AC+BATTERY)

Characteristics and technical data are informative only and subjected to change without notice.

Palazzani Industrie S.p.A.


Via del Pavione, 4 - 25050 - Paderno F.C. (BS) - Italy

Tel. (+39) 0306857073

info@palazzani.it

www.palazzani.it










ECO



Single-phase
Electric motor



Lithium iron
phosphate battery
LiFePO4



12 m	13 m	7,5 m	L1	L2	W1	W2	W3
250 kg	120 kg	250/120 kg	4971 mm	6542 mm	4853 mm	3732 mm	2610 mm



TSJ 25/C		25 m	13 m	250 kg	660°	180x70 cm	90°+80°	2,61-4,85 m	32%	36%	1 km/h	3950 kg	26 kN	1,64 kN/m2	3,38 kN/m2
TSJ 25/R		25 m	13 m	250 kg	660°	180x70 cm	90°+80°	2,61-4,85 m	32%	19%	1 km/h	3950 kg	26 kN	1,64 kN/m2	3,38 kN/m2

Available power options:

BI-ENERGY (DIESEL+AC)

ECO (AC+BATTERY)

HYBRID (DIESEL+AC+BATTERY)

Characteristics and technical data are informative only and subjected to change without notice.

Palazzani Industrie S.p.A.


Via del Pavione, 4 - 25050 - Paderno F.C. (BS) - Italy

Tel. (+39) 0306857073

info@palazzani.it

www.palazzani.it





HYBRID²








Diesel
14,7 kW



Single-phase
Electric motor
230VAC - 5,5kW



Lithium iron
phosphate battery
LiFePO4
48V - 210Ah



12 m	13 m	7,5 m	L1	L2	W1	W2	W3
250 kg	120 kg	250/120 kg	4971 mm	6542 mm	4853 mm	3732 mm	2610 mm



TSJ 25/C



25 m

13 m

250 kg

660°

180x70 cm

90°+80°

2,61-4,85 m

32%

36%

1,2 km/h

4335 kg

26 kN

1,8 kN/m²

3,71 kN/m²

Available power options:

BI-ENERGY (DIESEL+AC)

ECO (AC+BATTERY)

HYBRID² (DIESEL+AC+BATTERY)

Characteristics and technical data are informative only and subjected to change without notice.

Palazzani Industrie S.p.A.

Via del Pavione, 4 - 25050 - Paderno F.C. (BS) - Italy

Tel. (+39) 0306857073

info@palazzani.it

www.palazzani.it

