

## **CapnoCub**∈<sup>™</sup> Capnograph



### **Technical Specifications**

#### EtCO<sub>2</sub>

Non-dispersive Infrared Spectroscopy	
0-150mmHg or 0 - 20kPa	
±2mmHg, range from 0-40mmHg ±5%, range from 41-70mmHg ±8%, range from 71-100mmHg	
Every breath	
<15 seconds	
24 hours with trend and numeric	

#### **Respiration Rate**

Range:	3 - 150 rpm	
Accuracy:	±1% or ±1 rpm whichever is greater	
Memory:	24 hours with trend and numeric	
Sensor:	Adapter for intubated patient	

#### **Airway Adapter**

Adult/Pediatric, Neonate			
Dead space:	5 ml (adult/pediatric)		
	I ml (neonate)		

#### List of accessories

ltem	M/N
CapnoCube	PC03080047
Adult/PED Airway Adapter	2301-0000017
Neonate Airway Adapter	2301-0000029
Silicon Bumper	2500-0000352
Hard Carry Case	3101-0000072

#### **Power**

AC input:	100V - 240V, 50Hz/60 Hz
Power consumption:	5W
Battery:	Lithium battery (3.7V, 1400mAh)
Charging time:	4 hours
Operating time:	6 hours

#### **Environment**

Operating temperature:	5 to 40 <sup>°C</sup>	
Operating atmospheric pressure: 86 - 106 kPa		
Operating humidity:	30% - 75%	
Storage temperature:	-20 to +55C	
Storage humidity:	<93%	
Storage atmospheric pressure:	50 - 120 kPa	

#### **Physical Data**

Dimension:	$38(W) \times 42(H) \times 44(D) \text{ mm}$
Weight:	80g includes battery and adapter

English/ Spanish/ Dutch/ Italian/ French/ Deutsch







#### **Shenzhen Creative Industry Co., Ltd.**

Floor 5, BLD 9, Baiwangxin High-Tech Industrial Park, Songbai Road, Xili Street, Nanshan District, 518110 Shenzhen, PEOPLE'S REPUBLIC OF CHINA Tel: +86 755 2643 3514 Fax: +86 755 2643 0390 www.creative-sz.com info@creative-sz.com

# CapnoCub∈™

Capnograph(Mainstream)







## **Features**

- Monitors EtCO2, Respiration Rate, display real-time Capnogram within 15 seconds
- Pocketsize design fits to pre-hospital, Emergency, Anesthesiology and Respiration
- Large numeric display visible from five meters away
- 24 hours graphic trend can be stored and reviewed
- Data management for export and printout via the supplied USB cable
- Lithium battery with 6 hours working time and 4 hours charging time
- Routine calibration not required
- Standard accessories: Bumper, Carry case, Adult/PED adapter, Neonate adapter



Adult/Pediatric Airway Adapter




Neonate Airway Adapter



Protective Silicon Bumper



Hard Carry Case

















Data Review - Histogram

Data Review - Report

Data Review-Trend Chart

Data Review -Trend Table