## Paxum® X200



Auto Roping System

Auto Height Detection Remote Control
Operation

Digital LCD Touch
Control Panel






The Paxum X200 Fully Automatic Pallet Stretch Wrapping Machine with built in roping system, is designed for fast and efficient wrapping of bulk product stacked on pallets. With Pre-stretch ability of 300%, this machine guarantees a reduction in plastic film usage and is the ideal solution for many applications.

## **Features**

- Built-in Roping System
- High efficiency and low energy consumption
- Remote Controlled System
- Automatic Photoelectric sensor detects pallet height
- Automatic film cutter
- Multi-layer function: This function can set different wrapping cycles and wrapping tension at any height, up to 9 layers per pallet.
- 300% pre-stretch film rate.
- Advanced Safety Technology Safety device under film carriage to protect the foot or head of the operator
  - Transparent panel makes it easy to find problem without opening door.
  - Up and down belt deviation and damaged alarm system
- High quality electrical components
- LCD Touch Operating System
- Automatic Rope Grip System
- Soft start and soft stop.
- Intelligent Alarm system with LED Indicator
- 1800mm turntable
- 2350mm wrapping height
- Max load weight: 2000KG
- 3 Year Warranty







## Optional

- Ramp #62213-R
- Photocell Sensor for Black Stretch Wrap







## **Specifications**

Roping System Included

Production Rate 30-40 loads/hour

Turntable Speed 3-12RPM(Adjustable)

Turntable Diameter1800mmMax. Load Weight2000kgsStd. Wrapping Height2350mm

**Pre-stretch Rate** 300% pre-stretch maximum

**Up & Down Speed** 1.5 ~5.5 m/mins

Voltage 240V Machine weight 750kg

Machine size L2710mm\*W1800mm\*H2740mm

**Film Spec.** 500mm wide, 250mm diameter, 76mm core diameter

PLC Siemens
Compressed Air Yes

**Technical Data** Operation Manual

Extra Options Ramp Warranty 3 Years

