



**GREEN**

*Pine*

**HE2020**

HOSPITALITY EQUIPMENT 2020 PTY LTD



# COOL/FREEZER ROOM CONDENSING UNIT BROCHURE

**Extend life of  
Fresh produce!**



**HOSPITALITY EQUIPMENT 2020 Pty Ltd.**  
Unit 3/49-63 Victoria Street, Smithfield,  
NSW 2164 Australia  
[www.greenline.net.au](http://www.greenline.net.au) | [www.he2020.com.au](http://www.he2020.com.au)  
02 9637 3737 | [salesnsw@he2020.com.au](mailto:salesnsw@he2020.com.au)

# GREENLINE BROCHURE

## COOL/FREEZER ROOM

### CONDENSING UNIT



Cold storage rooms are temperature adjustable, they can be used for different functions by adjusting the temperature to change from a drying room to help control the moisture content of the products being stored to a blast freezer.

These units are airtight, they will also help to protect your products from extreme temperature and weather changes that will happen outside of the unit.



## Free Space

# SAVE MONEY



A cold storage room can keep fruits and vegetables at the correct temperature while controlling the moisture level to help extend the life of the fresh produce longer until it can be used.

Cold storage rooms will also benefit you if you purchase your fruits and vegetables in bulk. Furthermore, they can be used to extend the life of other bulk materials such as flour, sugar and other cooking ingredients.



if you've had an order for a menu item that you don't cook on a regular basis, or you want to serve customers with an exclusive drink, you'll be able to do so without any pressure.



CALL US - 02-9637 3737

EMAIL US - [salesnsw@he2020.com.au](mailto:salesnsw@he2020.com.au)

WEBSITE: [greenline.net.au](http://greenline.net.au)

2

**HE2020**  
HOSPITALITY EQUIPMENT 2020 PTY LTD

HOSPITALITY EQUIPMENT 2020 Pty Ltd.  
[www.he2020.com.au](http://www.he2020.com.au)  
Unit 3/49-63 Victoria Street,  
Smithfield, NSW 2164 Australia



Cold rooms are nothing but the insulated rooms within rooms, which are constructed to keep the cold air inside and the warm air out. They are standard installations in most commercial kitchens and storerooms.

However, most people don't know the difference between a cold room and a freezer room.

# Do you need COOL ROOM or FREEZER ROOM

The question seems like a strange thing to ponder, and the answer will be simple. As per the structural point of view, both cold rooms and freezer rooms are similar. If they don't look identical, there is a couple of technical features that sets them apart from each other.

The basic difference between a walk-in freezer and a cold room is that the latter operates at a temperature ranging from -2C° and 5C° while freezer rooms range from -40C° to -18C°.

SO...  
Cool room is **cold**  
Freezer room is to  
**freeze (and preserve**  
**it further**



CALL US - 02-9637 3737

EMAIL US - salesnsw@he2020.com.au

WEBSITE: greenline.net.au

3



# GLCOL-1.2-1.9-2.1



**Size: 1200 x 1900 x 2100 mm H**

**Roof: 100mm PU panels,  
0.5mm two sides Color  
plate - cam lock + include  
ceiling  
PU panels + Floor panels,  
0.5mm two sides Color  
plate - cam lock 42±2  
kg/m3 density Color steel  
plate,  
fireproofing grade B2,  
Non-CFCs foaming, Porosity  
by closed pore > 97%**

**Temperature Range:  
+2° ~ +5° C**



**Refrigeration unit:  
MODEL: GLWM100MYS**

**2230 W**

	<b>Cheekers Aluminum plate for floor -10cm single side 0.326 color steel plate, single side 3mm embossed aluminum plate</b>
	<b>Door Single door of 0.8 x 2.0 meters high, color steel plate of 0.4mm on both sides - SUS 304 picture is just reference, steel material color may change</b>
	<b>PVC curtain: Size is 200*2MM Low temperature design</b>
	<b>15w,220V LED light</b>

# GLCOL-1.8-1.9-2.1



**Size: 1800 x 1900 x 2100 mm H**

**Roof: 100mm PU panels,  
0.5mm two sides Color  
plate - cam lock + include  
ceiling  
PU panels + Floor panels,  
0.5mm two sides Color  
plate - cam lock 42±2  
kg/m3 density Color steel  
plate,  
fireproofing grade B2,  
Non-CFCs foaming, Poros-  
ity by closed pore > 97%**

**Temperature Range:  
+2° ~ +5° C**



**Refrigeration unit:  
MODEL: GLWM100MYS**

**2230 W**

	<b>Cheekers Aluminum plate for floor -10cm single side 0.326 color steel plate, single side 3mm embossed aluminum plate</b>
	<b>Door Single door of 0.8 x 2.0 meters high, color steel plate of 0.4mm on both sides - SUS 304 picture is just reference, steel material color may change</b>
	<b>PVC curtain: Size is 200*2MM Low temperature design</b>
	<b>15w,220V LED light</b>

# GLCOL-1.9-2.4-2.1



**Size: 1900 x 2400 x 2100 mm H**

**Roof: 100mm PU panels,  
0.5mm two sides Color  
plate - cam lock + include  
ceiling  
PU panels + Floor panels,  
0.5mm two sides Color  
plate - cam lock 42±2  
kg/m3 density Color steel  
plate,  
fireproofing grade B2,  
Non-CFCs foaming, Poros-  
ity by closed pore > 97%**

**Temperature Range:  
+2° ~ +5° C**



**Refrigeration unit:  
MODEL: GLWM150MYS**

**3000 W**

	<b>Cheekers Aluminum plate for floor -10cm single side 0.326 color steel plate, single side 3mm embossed aluminum plate</b>
	<b>Door Single door of 0.8 x 2.0 meters high, color steel plate of 0.4mm on both sides - SUS 304 picture is just reference, steel material color may change</b>
	<b>PVC curtain: Size is 200*2MM Low temperature design</b>
	<b>15w,220V LED light</b>

# GLCOL-3.0-3-2.1



**Size: 3000 x 3000 x 2100 mm H**

**Roof: 100mm PU panels,  
0.5mm two sides Color  
plate - cam lock + include  
ceiling  
PU panels + Floor panels,  
0.5mm two sides Color  
plate - cam lock 42±2  
kg/m3 density Color steel  
plate,  
fireproofing grade B2,  
Non-CFCs foaming, Poros-  
ity by closed pore > 97%**

**Temperature Range:  
+2° ~ +5° C**



**Refrigeration unit:  
MODEL: GLWM150MYS**

**3000 W**

	<b>Cheekers Aluminum plate for floor -10cm single side 0.326 color steel plate, single side 3mm embossed aluminum plate</b>
	<b>Door Single door of 0.8 x 2.0 meters high, color steel plate of 0.4mm on both sides - SUS 304 picture is just reference, steel material color may change</b>
	<b>PVC curtain: Size is 200*2MM Low temperature design</b>
	<b>15w,220V LED light</b>

**Features:**

- Refrigeration unit: Slide in package unit- Model: GLTC20A
- Refrigeration capacity: 2180w
- Size: 2.4 x 1.8 x 2.1 m
- Panel Structure: Fiberglass sandwich PU
- Insulation: Polyurethane Density: 45kg/m3
- Roof panel Panel thickness: 85mm
- Floor Panel Panel thickness: 85 mm
- Side wall Panel thickness: 60 mm
- Flooring Aluminum checker floor
- Door Single open rear door 1800\*1000 mm
- Interior light One LED light
- Clearance lamp Two white lights at front panel; Two red lights at rear panel;
- Lock Standard container lock
- Water Pipe Two at corner
- Temperature -2°C ~+2°C



**Refrigeration unit  
Model: GLTC20A  
2180 W**

	<b>Checkers Aluminum plate for floor - 10cm single side 0.326 color steel plate, single side 3mm embossed aluminum plate</b>
	<b>Door: Single door, color steel plate of 0.4mm on both sides - SUS304, picture is just reference, steel material color may change</b>
	<b>PVC curtain: Size is 200*2MM Low temperature design</b>
	<b>15w, 220V LED light</b>



**Features:**

- Refrigeration unit: Slide in package unit- Model: GLTC30A
- Refrigeration capacity: 3300w
- Size: 3.4 x 1.8 x 2.1 m
- Panel Structure: Fiberglass sandwich PU
- Insulation: Polyurethane Density: 45kg/m<sup>3</sup>
- Roof panel Panel thickness: 85mm
- Floor Panel Panel thickness: 85 mm
- Side wall Panel thickness: 60 mm
- Flooring Aluminum checker floor
- Door Single open rear door t1800\*1000 mm
- Interior light One LED light
- Clearance lamp Two white lights at front panel; Two red lights at rear panel;
- Lock Standard container lock
- Water Pipe Two at corner
- Temperature 2°C ~ -20°C



Refrigeration cover, streamlined design.

Refrigeration unit  
Model: GLTC30A  
3300 W

	<p>Checkers Aluminum plate for floor - 10cm single side 0.326 color steel plate, single side 3mm embossed aluminum plate</p>
	<p>Door: Single door, color steel plate of 0.4mm on both sides - SUS304, picture is just reference, steel material color may change</p>
	<p>PVC curtain: Size is 200*2MM Low temperature design</p>
	<p>15w, 220V LED light</p>



# GREEN

# Line



**CONTACT US FOR A SOLUTION THAT WORKS FOR YOU!**

Unit 3/49-63 Victoria Street, Smithfield, NSW 2164 Australia

02 9637 3737 | [salesnsw@he2020.com.au](mailto:salesnsw@he2020.com.au)

[www.he2020.com.au](http://www.he2020.com.au) | [www.greenline.com.au](http://www.greenline.com.au)

