

BREATHING IS NOW A BREEZE

Filter is protected on

both sides by Dura-Mesh®

MORE AIR. MORE WEAR. MORE FLEX. MORE DURABILITY. • Exclusive easy-breathing wave design • FlexFit® design moves easily with your face and stays in place • Less resistance, better breathability • Pinch-free molded nose bridge • Larger surface area of the wave design means more airflow • Soft foam nose cushion or full face flange • More air and more comfort means more wear and compliance • Softspun® lining for increased comfort • Dura-Mesh® shell resists collapsing in heat and humidity • Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1 N95 AirWave 2-Strap N95 AirWave SmartStrap 4200 N95 4600 N95 Inner Dura-Mesh® helps prevent collapsing from heat and humidity. Outer Dura-Mesh® keeps respirator cleaner looking.

Softspun® lining

against the face.

is comfortable

Soft Foam Face Cushion on

4300, 4700 and 4800 models





MORE COMFORT. MORE USE.

- Soft cloth SmartStrap® allows you to adjust for a custom fit
- Cool and comfortable SmartStrap allows respirator to hang around the neck when not in use
- Longer use means less waste
- Metal free



SMARTSTRAP





N95 + Nuisance Organic Vapors AirWave SmartStrap w/ Full Flange



N100 AirWave SmartStrap w/ Ventex Valve and Full Flange



4700N100

P95 AirWave SmartStrap w/ Full Flange



4300P95

- ▲ N95 Series Applications: Grinding, Torch Cutting, Sanding, Metal Pouring, Sweeping, Metal Working, Bagging, Foundries, Stone Quarrying, Agriculture, Metal Machining, Construction Sites, Cement, Ceramics Manufacturing, Underground Mining, Timber/Lumber Mills, Polishing, Buffing, Lime, Poultry, Textiles, Welding, Brazing, Soldering.
- N95 Plus Nuisance Levels of Ozone and Organic Vapors Applications: Welding, Arc Cutting, Foundry Operations, Brazing, Plasma Spraying, Laser Beam Cutting/Welding, Laboratory Settings, Agriculture, Petrochemical Manufacturing, Rendering Plants, Auto Repair, Mining Operations, Waste Disposal.
- N100 Series Applications: Metal Working, Grinding, Sanding, Sweeping, Bagging, Foundries, Pharmaceutical Operations, Power Plants, Environments where an OSHA substance specific standard applies (e.g., lead, cadmium, inorganic arsenic, MDA).
- P95 Series Applications: Where oil mists are present, either alone or in combination with solid particulates, Construction, General Manufacturing, Mining, Oil & Gas, Transportation.

Product Code	Size	Flange Type	Strap Material	Adjustable/ Hangable SmartStrap	Usage Type	Display Quantity	Case Quantity
4200 N95 4201 N95	M/L S	Nose Nose	Latex Latex	No No	A	10/Box 10/Box	8 Boxes 8 Boxes
4600 N95 4601 N95	M/L S	Nose Nose	Cloth Cloth	Yes Yes	•	10/Box 10/Box	10 Boxes 10 Boxes
4800 N95	M/L	Full	Cloth	Yes	•	8/Box	10 Boxes
4700N100	M/L	Full	Cloth	Yes	•	5/Box	6 Boxes
4300P95	M/L	Full	Cloth	Yes	-	8/Box	10 Boxes

M/L = Medium/Large

S = Small











DISTRIBUTED BY:





www.moldex.com

MOLDEX-METRIC, INC.
10111 West Jefferson Blvd.
Culver City, CA 90232
TEL: +1 (800) 421-0668 or
+1 (310) 837-6500
FAX: +1 (310) 837-9563 E-mail: sales@moldex.com

MOLDEX TECHNICAL SERVICE DEPARTMENT:

+1 (800) 421-0668 or +1 (310) 837-6500 ext. 512/550

CANADIAN CUSTOMER SERVICE

Tel: +1 (800) 421-0668, Ext. 517 Fax: +1 (310) 837-9563



Made in U.S.A.