

Technical Product Description

Product: Med Sled Evacuation

Description: Med Sled is an evacuation device for evacuating non-ambulatory people from hospitals,

nursing homes, and multi-storied buildings. The product enables personnel to evacuate

down stairwells in a no-lift environment.

Model #: MS28-Youth Sled MS36-Standard Sled MS48-Bariatric Sled

Technical: MS28: 73" L x 28" W HDPE (unrolled), 9" x 28" (when rolled). Die cut per spec, Youth

Emergency Evacuation Device, Load Capacity 1,000 lbs. Youth version is for individual

60 inches or shorter. Weight limit is 1,000 lbs.

MS36: 87" Lx 36" W HDPE (unrolled), 9" x 36" (when unrolled). Die cut per spec,

Standard Emergency Evacuation Device, weight limit is 1000 lbs.

MS48: 87" L x 48" W HDPE (unrolled), 9" x 48" (when rolled). Die cut per spec, Bariatric

Emergency Evacuation Device, weight limit is 1,000 lbs. (The bariatric version is designed for individuals in excess of 300 lbs. with wide shoulders and excess girth).

Med Sled is equipped with an onboard braking system, and carrying bag with shoulder strap. 3 Poly Propylene Cross Straps and Poly Propylene perimeter tether for added strength and stability. These features are specific to the Med Sled. The Braking

Revised: Feb 2012

Carabiner is Load Tested to 9,000 lbs.

HDPE: Sled properties do not change between brittle point and melting point. Decomposition

point: 260 and minus 105 degrees Fahrenheit.

MSDS: HDPE (Hexene, polymer with ethane) Non-Toxic, Non-Carcinogenic

Manufacturer: ARC Products LLC

Warranty: This product is guaranteed against manufacturing defects for one year. 5 year limited

warranty.