


Unisto P10



Indicative Security Seal to seal Electric-, Water- and Gas meters in the Utilities sector. Embossed, hand stamped Security Seal P10 (diameter 10 mm). Environmentally friendly alternative to lead seals. Use in conjunction with different types of sealing wire. Mechanical pliers are needed to properly seal Unisto P10 seal - embossing of logo is possible.

Features of this security seal

Type of Seal

Special Seals

Application

Meters

Plastic seal to replace traditional lead seals

Various colours for logistical functions

Customer name/logo for clear identification


Minimum size



- Standard twisted wire (on reels)



- Hand application using pliers to close the seal



- Pliers with neutral or logo engraved surface






- Standard twisted wire (on reels)



- Hand application using pliers to close the seal



- Pliers with neutral or logo engraved surface



Materials

Seal: polypropylene (PP)

Wire: zinc coated steel

Tensile strength (loop)

approx. 9 kg

Customer name/logo

hand embossed with the engraved surfaces of the application pliers.

Colours

white, yellow, red, green, blue, grey, black

Other colours available on request.

Packing

bags of 5 000, box of 30 000 pieces 38.5 x 38.5 x 17.6 cm (0.033 m³), approx. 8.50 kg

Storage

Seals should be stored in original box away from direct sunlight and chemical fumes.

Store at 22°C/50% RH. Typical shelf life of seals made of PP and PA are approx. 18 months from date of manufacture.

Nevertheless please do not order more than an annual quantity.