

ELECTRIC STAIR CLIMBERCT310



XSTO CO., LTD.

ELECTRIC STAIR CLIMBER CT310



ALL IN ONE WIRE CONTROLLER



Functional Buttons Instruction

(Power Switch

Speaker

Decrease Speed

0

Mode Switch

Increase Speed

AUTO

Support Wheel Auto On/Off







This button is a dedicated function key for CT420SC product, it is not valid for other products!

TECHNICAL PARAMETER



Item Weight

72KG



Maximum Capacity

310KG



Battery Capacity

1400-1600 Steps(78~100 Floors)



Upstairs Speed

14.6 Steps/Min(High Speed)



Downstairs Speed

15.4 Steps/Min(High Speed)



Size







Battery Parameters

25.2V 17.5Ah, Weight: 3.1KG



Step Requirement

Height<21CM



Minimum Platform

1500x1500mm(Required Size For Stair Corner)



Motor Parameter

DC Motor 24V 150W*2



Noise

<70dB



Protection Grade

IP54



ACCESSORIES



Charger

Input: AC100-240V

Output: DC29.4V 4A



Adjustable Safe Belt

Length: 6000MM

Width: 55MM

OPTIONAL FIXTURE



Ramp ZX400

Load Capacity: 520KG

Rise of Loading Board: 600-800MM



Electric Mini Lift ELS420

Load Capacity: 420KG

Minimum Cargo Width: >790MM

ELECTRIC STAIR CLIMBER CT310

APPLICATION SCENARIO







APPLICATIONS









Precision Instrument Furniture and Appliance

Office Equipment



Vending Machine



Electronic Equipment



Oil Drum





Tel: +86-760-28207258 Email:info@xsto.net Website: xstoclimbers.com Address: 555 Plant, Ma' an Cun Rd, Cuiheng New District, Zhongshan City, Guangdong, China

