




Granular ice

Flake

25% water content

Super flake

15% water content



F series


Easy maintenance
and inspection

Stainless Steel
construction

Removable and
washable filter

Easy access
for internal cleaning

Front air
intake / outlet



Ice flakers machines range including both self-contained and separate storage bins models, up to 2.500 kg daily production.

Flakes ice are generated by a vertical cylindrical evaporator, equipped with an internal turning auger that scours the ice on the evaporator surface and lifts it up to an ice breaker.

This system provides an even ice production with minimal water quantity.

F series modular machines can be combined with the wide choice of Icematic storage bins.

Ice flakes have plenty of applications, from fish conservation and display to cocktails creation or, for instance, in spa centres. It is broadly used in the medical sector, and it is highly appreciated in the bakery industry.

The main advantages of this kind of ice are the ease of handling, storage and dosing. Its water contain may vary from approximatively 15% to 25%.



Ozone Kit
(Optional)

available on new self-contained models.

For a safe and deep sanitization of your icemaker.

Cocktails bar /
Disco

Hotel

Medical /
Wellness

Bar /
Restaurant

Supermarket

Fish Industry
processes

F 90 C



Dimensions - mm

500 x 597 x 694

Production - kg/24h

94 (A) - 94 (W)

Bin capacity - kg

18

Standard voltage

220-240 V / 1 N / 50 Hz

Ice

Flake

F 120 C



Dimensions - mm

500 x 597 x 694

Production - kg/24h

120 (A) - 120 (W)

Bin capacity - kg

18

Standard voltage

220-240 V / 1 N / 50 Hz

Ice

Flake

F 160 C



Dimensions - mm

700 x 616 x 995

Production - kg/24h

160 (A) - 164 (W)

Bin capacity - kg

50

Standard voltage

220-240 V / 1 N / 50 Hz

Ice

Flake

F 200 C



Dimensions - mm

700 x 616 x 995

Production - kg/24h

200 (A) - 200 (W)

Bin capacity - kg

50

Standard voltage

220-240 V / 1 N / 50 Hz

Ice

Flake

F 120



Dimensions - mm

564 x 536 x 531

Production - kg/24h

120 (A) - 120 (W)

Bin compatibility

pages 44-45

Standard voltage

220-240 V / 1 N / 50 Hz

Ice

Flake

F 200



Dimensions - mm

564 x 536 x 531

Production - kg/24h

200 (A) - 200 (W)

Bin compatibility

pages 44-45

Standard voltage

220-240 V / 1 N / 50 Hz

Ice

Flake

SF 300



Dimensions - mm

538 x 663 x 650

Production - kg/24h

320 (A) - 330 (W)

Bin compatibility

pages 44-45

Standard voltage

220-240 V / 1 N / 50 Hz

Ice

Super Flake

SF 500



Dimensions - mm

538 x 663 x 790

Production - kg/24h

600 (A) - 600 (W)

Bin compatibility

pages 44-45

Standard voltage

220-240 V / 1 N / 50 Hz

Ice

Super Flake

SFN 1000



Dimensions - mm

1065 x 698 x 850

Production - kg/24h

1150 (A) - 1220 (W)

Bin compatibility

pages 44-45

Standard voltage

400 V / 3 N / 50 Hz

Ice

Super Flake

SFN 2200 Tropical



Dimensions - mm

1080 x 780 x 1255

Production - kg/24h

2500 (A) - 2500 (W)

Bin compatibility

pages 44-45

Standard voltage

400 V / 3 N / 50 Hz

Ice

Super Flake

WORKING WITH AUSTRALIA'S FINEST DEALERSHIPS AND DESIGNERS AND OFFERING THE BEST EQUIPMENT TO SUIT YOUR NEEDS, WE ARE AUSTRALIA'S CHOICE FOR INNOVATIVE FOOD SERVICE EQUIPMENT SOLUTIONS

CUSTOMER SERVICE

Free Call: 1800 222 460 (*Nation wide*)

Phone: (02) 9684 5666

Email: info@scotsice.com.au

SALES

National Accounts

Phone: 0477 071 716

New South Wales Sales

Phone: 0411 089 140

Email: nsw.sales@scotsice.com.au

Queensland Sales

Phone: 0414 817 619

Email: qldsales@scotsice.com.au

Victoria Sales

Phone: 0415 735 273

Email: vicsales@scotsice.com.au

SERVICE & SPARE PARTS

Free Call: 1800 222 460 (*Nation wide*)

Phone: (02) 9684 5666

Email: service@scotsice.com.au

SCOTS ICE AUSTRALIA
foodservice equipment

ABN: 54 080 084 260

Unit 5 / 175-179 James Ruse Drive

Rosehill NSW 2142

www.scotsice.com.au

an Australian Ali Group Partner



The Spirit of Excellence