




# Data sheet | Item number: 762-4103

Touch Panel 600; 17.8 cm (7.0"); 800 x 480 pixels; 2 x USB, 2 x ETHERNET;  
Web Panel



[www.wago.com/762-4103](http://www.wago.com/762-4103)



## Item description

PIO1 hardware configuration

Subject to changes. Please also observe the further product documentation!

WAGO Pty. Ltd.  
2-4 Overseas Drive  
Noble Park Victoria 3174  
Tel.: +61 (0)3 8791 6300 | Fax: +61 (0)3 9701 0177  
Email: [sales.anz@wago.com](mailto:sales.anz@wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +61 (0)3 8791 6300.



- 2 x ETHERNET port for connecting to field devices and the engineering tool
- 2 x USB port for optional connection of a USB stick, mouse or keyboard

## Data

### Technical Data

Display diagonal	17,8 cm (7 Inches)
Display	Resistive touchscreen
Display colors	16 million colors
Graphics resolution	(800 x 480) px
Visualization	Webserver
ETHERNET protocols	DHCP DNS FTP FTPS HTTP HTTPS SSH
Communication	Web browser (HTML5)
Operating system	Real-time Linux (with RT-Preempt patch)
Processor	ARM <sup>®</sup> Cortex™ A9
Main memory (RAM)	2,048 MB
Internal memory (flash)	4096 MB
Memory card type	microSD (max. 2 GB); microSDHC (max. 32 GB)
Indicators	five LEDs
Controls	Resistive touch panel, two capacitive keys, proximity sensor
Supply voltage	SELV DC 24 V (18 ... 31,2 V); with reverse voltage protection

### Connection data

Connection technology: communication/fieldbus	Web browser: 2 x RJ-45; 2 x USB 2.0 host (type A)
---	---

### Geometrical Data

Width	213 mm / 8.386 inch
Height	167 mm / 6.575 inch
Depth	58 mm / 2.283 inch
Panel cutout (W x H)	(198 x 152) mm

Subject to changes. Please also observe the further product documentation!

WAGO Pty. Ltd.  
2-4 Overseas Drive  
Noble Park Victoria 3174  
Tel.: +61 (0)3 8791 6300 | Fax: +61 (0)3 9701 0177  
Email: [sales.anz@wago.com](mailto:sales.anz@wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +61 (0)3 8791 6300.

## Mechanical data

Weight	982 g
--------	-------

## Environmental Requirements


Surrounding air temperature (operation)	0 ... 55 °C
Surrounding air temperature (storage)	-20 ... 80 °C
Protection type	IP65
Note on protection type	IP65 (front side); IP20 (rear side), per EN 60529
Relative humidity (without condensation)	90 %
Mounting type	Clamping elements (included) or VESA mount (4 x M4x8)

## Commercial data


Packaging type	BOX
Country of origin	DE
GTIN	4055143839389
Customs tariff number	8471410000

## Approvals / Certificates

### Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	KC National Radio Research Agency	Article 58-2, Clause 3	MSIP- REM-W43- WBP762

### Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	DNV GL Det Norske Veritas, Germanischer Lloyd	-	TAA00001FS

### UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name

Subject to changes. Please also observe the further product documentation!

WAGO Pty. Ltd.  
2-4 Overseas Drive  
Noble Park Victoria 3174  
Tel.: +61 (0)3 8791 6300 | Fax: +61 (0)3 9701 0177  
Email: [sales.anz@wago.com](mailto:sales.anz@wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +61 (0)3 8791 6300.



UL  
Underwriters Laboratories Inc. (ORDINARY  
LOCATIONS)

UL 61010-2-201

E175199

## Counterpart

## Compatible products

### assembling



Item no.: 762-9001  
e!DISPLAY7300T ; Clamping elements (4 pieces)

[www.wago.com/762-9001](http://www.wago.com/762-9001)

## Downloads

### Documentation

#### Manual

WAGO Touch Panel 600 Standard Line	1.3.0 2020.06.23.	pdf 2.9 MB	Download
---------------------------------------	----------------------	---------------	----------

#### System Description

Touch Panel 600, system description		pdf 727.2 kB	Download
-------------------------------------	--	-----------------	----------

## Runtime Software

### Firmware

Firmware: 762-4103 Touch Panel 600; 17.8 cm (7.0"); 800 x 480 pixels; 2 x USB, 2 x ETHERNET; Web Panel	15 2019.12.09.	zip 150.6 MB	Download
---	-------------------	-----------------	----------

## Handling Instructions

## Product family

**Standard Line**  
[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO Pty. Ltd.  
2-4 Overseas Drive  
Noble Park Victoria 3174  
Tel.: +61 (0)3 8791 6300 | Fax: +61 (0)3 9701 0177  
Email: [sales.anz@wago.com](mailto:sales.anz@wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +61 (0)3 8791 6300.