

# Viscount Plastics Nally MegaBin®

Viscount Plastics Australia Pty. Ltd.

Sales Enquires: 1800 659 075

Email: mh@viscount.com.au
Web: www.viscount.com.au

ABN: 76007862393



Milli

1111111

HIIIII

HIHIIIII

пиши

HIHIIIII

HIHIIIII



# Nally MegaBin®



The Nally MeagBin® is made in Australia for Australian conditions.

The Nally MegaBin® is the original Australian bulk bin.


Rounded corners and smoother interior surfaces results in less bruising and damage to your produce. Multiple vents in sides and base provide superior airflow so products cool faster adding valuable shelf life to your produce. The smooth, non-absorbent surface will not harbour or transfer mould, bacteria or disease carrying organisms.


Easy, clear ownership identification with hot foil stamping, sequential numbering and barcoding.


Handholds are built in for easy lifting and handling of bins. The positive interlocking foot design permits fast and safe stacking in both pallet racking and unit atop of unit.

A strong bin cover, tipping bars, liquid bungs, hotstamping, barcoding and numbering are all available at your request.

# Spec Drawing







Solid & vented bins available

One piece construction

Rounded co

Self-palletising design

No HACCP i

Hygienic & easy to clean

Durable & s

UV stabilised polyethylene

Non-porous surface

Rounded corners

No HACCP issues

Durable & sturdy

Decoration options available

Quick, easy & safe stacking

Safe for pallet racking

Lighter than timber bins

Improved product packout

Large forklift entry height







Comm - more









- The positive interlocking foot design offers quicker handling and safer stacking up to ten bins high enabling you to maximise valuable floor space.
- b. Nally MegaBins® are compatible with Dexion, Schaeffer, Colby and Loscam pallet racking.
- c. Vented Nally MegaBin® provide superior airflow so products cool faster adding valuable shelf life to your produce.
- Solid Nally Megabin® stacked including MSLid.
- e. Standard foot and extended height foot.
- Comfortable handholds are built in for easy lifting and handling of bins.
- g. Rounded corners and smoother interior surfaces results in less bruising and damage to your produce.
- h. Extendable height foot ensures maximum safety by allowing for accurate and safe locating of the bin in pallet racking applications by creating deeper recess.

	MegaBin® 730	MegaBin® 730	MegaBin® 780	MegaBin® 780
	Vented	Solid	Vented	Solid
Code	MS7310	MS7300	MS7810	MS7800
Total Height	730mm	730mm	780mm	780mm
Depth Internal	600mm	600mm	650mm	650mm
External Width & Length	1162x1162mm	1162x1162mm	1162x1162mm	1162x1162mm
Width Internal	1082x1082mm	1082x1082mm	1082x1082mm	1082x1082mm
Unit Weight	40kg (approx)	42kg (approx)	42kg (approx)	44kg (approx)
Literage capacity	N/A	720Ltr.	N/A	780Ltr.
Maximum load capacity	500kg	500kg	500kg	500kg

#### Also available:

	Code:	External Width & Length	Total Height	Unit Weight
MegaBin® Lid	MSLID	1180x1180mm	35mm	10kg
Extended Height Foot	Racking Feet	Fit to base of bin	10mm	1.4kg
Tipping Bars Gal	N/A	Fit to base of bin	N/A	10kg
Tipping Bars Steel	N/A	Fit to base of bin	N/A	9.3kg



### Viscount Plastics Australia Pty. Ltd.

Sales Enquires: 1800 659 075

Email: mh@viscount.com.au Web: www.viscount.com.au

ABN: 76007862393

## Viscount Plastics P/L NSW

98 Airds Road Minto, 2566

New South Wales, Australia

Tel: +61 (0)2 9820 2222 Fax: +61 (0)2 9820 2298

#### Viscount Plastics P/L VIC

81 Frankston Gardens Drive Carrum Downs, 3201 Victoria Australia

Tel: +61 (0)3 8770 3200 Fax: +61 (0)3 8770 3201

## Viscount Plastics P/L QLD

180-198 Cobalt Street Carole Park, 4300 Queensland, Australia

Tel: +61 (0)7 3723 8400 Fax: +61 (0)7 3271 3165

#### Viscount Plastics P/L WA

173-175 Bannister Road Canning Vale, 6155 Western Australia

Tel: +61 (0)8 9456 8203 Fax: +61 (0)8 9455 1136

As Viscount Plastics Australia Pty Ltd has borne the cost of development of the product and tool, it is to be understood that all intellectual property rights, including patents, registered designs and copyrights and trade secrets are the property of the company. Viscount Plastics shall not accept liability of any kind arising out of the misuse of this product or use of any other purpose other than intended use as indicated herein. All information supplied in this Catalogue was correct at the time of publication. Viscount Plastics retains the right to change specifications without notice in accordance with a policy of continued product development.