







1.0	machine connection: Drain line hose fitted as odour trap in interior of machine	DN 22
1.1	drain (max. 300 mm above of the floor level)	DN 50
2.0	machine connection: fresh water line	G 3/4"
2.2	soft cold water 10°C max. 0,54 mmol/l CaCO ₃ / 53,4 ppm/CaCO ₃ (max.3°GH) approx. water flow rate 4 l/min min. flow pressure: 100 kPa / 1,0 bar upstream of the solenoid valve, maximum pressure: 500 kPa / 5 bar stopcock and fine screen ≤ 25 µm	DN 15 G 3/4 a
3.0	machine connection: electricity connecting cable	5G 2,5mm ²
3.1	electricity supply cable to the machine nominal current / - capacity ⊕ Voltage equalising cable	3N PE 400V ~ 50Hz 15.0 A 6.8 kW Fuse protection: 16 A
Electrical equipment suitable for supply voltage: 3N PE 380-415 V 50 Hz / 1N PE 220-240 V 50 Hz		
heat load of the wash room in case of 20 program cycles /h		total ca.2.1 kW perceptible ca.1.4 kW latent ca.0.7 kW
all cables, pipes etc leaving machine		1,4 m
the position of the connection piping can also be mirror-inverted		
Options available on machine		
(A) Entry height		
Rinse agent pipe and suction lance (blue connector)		
Detergent pipe and suction lance		
GiO-module (separate)		
Roller base 35 mm		
	Please observe the installation indications of the additional document MP_T-INFO-GiO_EN.pdf	

GiO-Module (W x D x H) 140 x 550 x 600 mm
Connecting pipe from the module to the machine, 3 m long



Please note:
Additional installation components are
necessary (connection and drain kits)



 <p>MEIKO Australia-Pacific Pty Ltd Unit 4, 72 - 74 Gibbes Street Chatswood NSW 2067 TEL. +61-1300 367 730, Telefax +61-1300 656 420 E-MAIL: info@meiko.com.au</p> <p>It is neither allowed to give this drawing without our permission to a third party for information or reproduction, nor may it be used for competition purposes. We reserve all rights ! Please note: This document is only valid in conjunction with the conditions defined in the document "Important remarks"! Can be requested from the manufacturer or downloaded from Partnernet.</p>	Revision		
	Reference	DISHWASHER STANDARD DRAWING / AUS	Type M-ICLEAN UM GiO-MODULE SEPARATE
	Drawing-No.	S00008283	Order-No.
	Scale	1:25	drawn: 21.06.2017 m-iplan checked: 21.06.2017 mja