



CHRONOS • OML-1140

**High Speed open-mouth  
bagging machine**



# High Speed open-mouth bagging machine



**UP TO 25 BPM\***

\*Depending on bag characteristics, pallet height, layout configuration, etc.

### Performance

Optimal OEE for high-production capacity with minimal bag handling time.

### Operation

Easy to operate, easy to run. Intuitive operation screen for easy troubleshooting.

### Versatility

Optimal flexibility with modular platforms to suit various application and able to run any bag type.




**More than 120 OML-1140 installed in 17 countries**

### Bulk Materials




### Bag types




### Bag materials

Polypropylene woven, porous or laminated; paper and plastic (polyethylene)

## Typical Equipment Dimensions



Top view



Side view

### Bag specifications

**Length:** 500mm to 1100mm

**Width:** 300mm to 700mm

**Weight:** 5 to 50kg

**Closing type:** Compatible with any external in-line closer system

### Electrical requirements

compatible with any Three phase power supply

### Ambient temperature

5°C to 35°C (40°F to 95°F)

## Features

Bag magazine up to 600 bags : Multiple-stack bag magazine for great operating autonomy fast and easy reloading

Minimal bag handling time to allow high speed operation

Variable frequency drives (VFD) on key movements for smooth operation and longer life span

Main frame structure made of welded structural steel

Detection system to check if the bag is correctly placed on the spout to avoid product spillage

Total control of the bags throughout the entire cycle

## Options

Protection against corrosive environment

Tool-less changeover for multiple bag size

Easy interchangeable spout

Double spout opening automatic setup

Dust controlled spout

---

# ✓ Lifetime

## Client Solutions

**Premier Tech Client Solutions** take a personalized approach to **lifecycle management**, creating enhanced solutions customized to your specific needs that develop your own capabilities and operational habits, and help you achieve and maintain productivity.

The Client Solutions' passionate team acts as a **partner** by maintaining constant collaboration and putting your interests at the heart of daily decisions throughout your equipment's lifecycle.

Our programs are designed to help you reach your highest **Overall Equipment Effectiveness (OEE)** and maximize your **Return on Investment (ROI)** by providing you with the most valuable lifecycle services in the industry focusing on critical areas such as **24/7 technical support, spare parts, field service, training, system assessments and optimization.**

---



PT Systems and Automation

[PTSYSTEMSAUTOMATION.COM](https://www.ptsystemsautomation.com)



The information contained in this brochure is based upon the latest information available at the time of publication and is designed to provide you with a general introduction to our products. We make no warranties or representations as to its accuracy. We are continually updating and improving our products and reserve the right to amend, discontinue or alter specifications and prices without prior notice. Premier Tech is a registered trademark of Premier Tech Ltd.

20210906  
© Premier Tech Ltd, 2021