

Polar Ice Cream

Blast chillers and freezers

The quick freezing of Polar transforms water into tiny crystals and guarantees the maintenance of the structure and taste of ice cream. Soft and Hard freezing cycle with timing or by core probe.

- **ARTISTIC DEEP FREEZING**
Keep the sensory properties and the overrun of the ice cream intact.

Capacity

Model	Max capacity
-------	--------------

PO 6V	6 Pans
--------------	--------



PO 12V	12 Pans
---------------	---------

5L Pans
36x16,5x12cm

PO 18V	18 Pans
---------------	---------

PO 21V	21 Pans
---------------	---------

PO 24V	24 Pans
---------------	---------

PO 6V	5 Carapines
--------------	-------------



PO 12V	10 Carapines
---------------	--------------

7L Carapines
Ø 20x25 cm

PO 18V	15 Carapines
---------------	--------------

PO 24V	20 Carapines
---------------	--------------





Easy

A display designed with a simple and effective interface, with all the commands necessary to get the best result.



Maximum hygiene

Inspectionable cataphoresis-treated evaporator.



Ergonomic handle

Robust and easy to grip.



Core probe

Precise control over product's core temperature.

Polar Ice Cream



PO 3T

Performance from +90°C to +3°C	7 Kg
Performance from +90°C to -18°C	5 Kg
Refrigeration power	792 W
Electric power	700 W
Voltage/Frequency	230V 50Hz
Refrigerant	R452A
Dimensions WxDxH	600 x 855 x 460 mm
Standard equipment	3 pairs of guides



Polar Ice Cream



PO 6V

Performance from +90°C to +3°C **20 Kg**

Performance from +90°C to -18°C **14 Kg**

Refrigeration power **1748 W**

Electric power **1180 W**

Voltage/Frequency **230V 50Hz**

Refrigerant **R452A**

Dimensions WxDxH **800 x 700 x 850 mm**

Standard equipment 2 stainless steel shelves (600x400mm)

Model data PO 6V PL

PO 12V

Performance from +90°C to +3°C **28 Kg**

Performance from +90°C to -18°C **22 Kg**

Refrigeration power **3289 W**

Electric power **2052 W**

Voltage/Frequency **230V 50Hz**

Refrigerant **R452A**

Dimensions WxDxH **800 x 825 x 1435 mm**

Standard equipment 4 stainless steel shelves (600x400mm)

All Polar products are also available with:



Water condensation



Remote unit



ItalianGelato
Concepts
 dessert projects & equipment supply

Polar Ice Cream



PO 18V

Performance from +90°C to +3°C	42 Kg
Performance from +90°C to -18°C	35 Kg
Refrigeration power	5907 W
Electric power	3399 W
Voltage/Frequency	400V/3/50Hz
Refrigerant	R452A
Dimensions WxDxH	800 x 825 x 1720 mm
Standard equipment	6 stainless steel shelves (600x400mm)

PO 21V - PO 24V

	PO 21V	PO 24V
Performance from +90°C to +3°C	50 Kg	65 Kg
Performance from +90°C to -18°C	45 Kg	55 Kg
Refrigeration power	5907 W	7310 W
Electric power	3498 W	3680 W
Voltage/Frequency	400V/3/50Hz	
Refrigerant	R452A	
Dimensions WxDxH	800 x 825 x 1980 mm	
Standard equipment	7 s/s shelves (600x400mm)	8 s/s shelves (600x400mm)

All Polar products are also available with:



Water condensation



Remote unit



ItalianGelato
Concepts
 dessert projects & equipment supply



Italian Gelato Concepts Pty Limited
Unit 1, 37 Mortimer Road
Acacia Ridge Qld 4110

Bris Office: +61 [0] 7 3162 7724
Syd Office +61 [0] 2 8311 9701

Email: info@italiangelato.com.au

www.italiangelato.com.au



Samaref s.r.l.

Viale A. Merloni 79, 60044 Fabriano (AN), Italy

info@samaref.it — Phone +39 0732 5452

www.samaref.it