



TENTE Industrial



Automatically takes the lead  
Series 347S/B

**TENTE**

BETTER MOBILITY. BETTER LIFE.



# Always on track

## Series 347S/B – Swivel castors with automatic direction



### Quality standard

Series 347S and 347B will convince users with their sturdy design and workmanship using high quality materials. The swivel castors are fitted with automatic alignment. This intelligent addition assists with moving in a straight line – while also retaining excellent manoeuvrability.

All standard wheel variations in Ø 80 to 125 mm can be combined with series 347S and 347B. The wide range of tread surface materials offers the perfect mobile solution for every type of floor. This range covers all exacting demands for indoor and outdoor use on transport equipment. Swivel castors can be combined with all castors in series 3470.

### Reliable

Directional stability and optimal manoeuvrability are extremely important, particularly when transporting heavy loads. The automatic alignment supports straight-line running and prevents uncontrolled diversion from the running direction. Comfortable, ergonomic mobility is guaranteed for the user.

TENTE Industrial



Wheel UFR:  
Comfortable run with  
excellent shock absorbing  
elements for high  
load capacities.

Fig.: 347S UFR 125 P62



Wheel UOJ: for high  
load capacities with  
low roll- and swivel  
resistances, non-marking  
and robust.

Fig.: 347S UOJ 125 P62



Wheel PJP  
SUPRATECH:  
non-marking and  
noise reduced.

Fig.: 347S PJP 125 P62  
SUPRATECH

# Optimally positioned for processes


## Series 347S/B – Swivel castors with automatic direction

### Efficient

When wheeled pallets are used, series 347S and 347B allow goods to be stored in a pallet rack without the need for additional reloading.

### Convenient

No matter what the direction of travel is, the auto alignment returns the castor to its zero position when the pallet is raised, and so allowing space-saving storage. The pallet is then immediately ready to move the next time it is needed.



### Advantages at a glance

- High directional stability
- Excellent manoeuvrability
- Efficient
- Comfortable racking
- Ergonomic
- Flexible
- Combined with all castors in series 3470

### Applications

Logistic, Automotive Industry, Production, Facility Management, Hotel or Hospital

- Transport trolleys
- Picking trolleys
- Parcel trolleys
- Luggage trolleys
- Trolley for medical-devices
- Rollcontainers
- Cleaning trolleys



# Flexible

## Series 347S/B

### Series 347S/B – Swivel castor with automatic direction



#### Possible wheel combinations:



**UOJ/UOP**  
Wheel made of Polyamide, white, roller bearing with threadguards/precisions ball bearing



**UFR/UFP**  
Wheel centre: Polyamide, Tread: elastic-tyre, grey, non-marking, roller bearing/precision ball bearing



**UAR**  
Wheel centre: Polyamide  
Tread: Polyurethane, roller bearing



**HUR**  
Wheel centre: Polyamide, elastic solid rubber tyre, Tread: Polyamide, roller bearing



**ITP**  
Wheel centre: Aluminium, Tread: Polyurethane, casted, precision ball bearing



**PJP SUPRATECH**  
Wheel centre: Polypropylene, Tread: TENTEprene (thermoplastic rubber), non-marking, precision ball bearing

#### Series 347S/B available as:

- 347S Swivel castor with automatic directional stability
- 347B Swivel castor with automatic directional stability and total lock

#### Housing:

Housing made of pressed steel, blue passivated, double ball bearing with swivel head

Automatic direction: 180°

#### Wheel sizes:

Ø 80, 100 and 125 mm with hub length 45 mm

#### Fitting:




Plate P62

Plate size: 105 x 85 mm  
Plate hole centres: 80/70 x 60 mm  
Plate hole: Ø 9 mm

You will find further technical datas on our website: [www.tente.com](http://www.tente.com)

**Combined with all castors in the series 3470.**