

Pro-Line Series

Pro-Line is our strongest range of tandem trailers for the professional user

Thoughtful details, uniform build and high strength make the trailer series the faithful companion of the craftsman.

All trailers feature powerful built-in closures and detachable hot-dip galvanized corner posts.

Models with bed length 520 cm and 620 cm have 2-part long sides and detachable side posts.

The inner folded lashing eyes provides an opportunity for fastening goods. All sides are open and removable without the use of tools.

The maintenance-free aluminum sides are smooth inside and bent in profile outside. It provides ease and high strength.

The trailer series is offered from length 260 cm to 620 cm and width 150 cm to 250 cm.

Gross weight is offered from 800 kg to 3,500 kg. All trailers come with a powerful tilting jockey wheel.

A number of extra accessories are offered for the series, which will be presented on the following pages.

The series is divided by width.

Good quality for everyday use - width 150 cm

The strong Pro-Line series starts at a load size of 260x150 cm.

1 or 2 axles. Handy and with the same strength, equipment and finish as the larger trailers in the series.

The series offers a number of extra accessories.

Both models come with a powerful tilt jockey wheel.



[Model shown 13P215]

VARIANT

Extra strong series of commercial trailers

For the professional user



See universal equipment on pages 38-39. Parts shown below are extra accessories.



Index Pro-Line:
Width 150 cm Page 5
Width 180 cm Page 6-7
Width 210 cm Page 8-9
Width 250 cm Page 10-11



13P215
Inside box size: 254 x 144 x 35 cm
Exterior box size: 260 x 150 x 35 cm
Overall dimensions: 388 x 151 x 97 cm
Gross weight: 1,300 kg
Payload: 1,022 kg
Wheel size: 13" Compact
Axles: 1 axle, with brakes
Side material: Aluminium
Loading height: 63 cm
Also available with gross weight from 1,350 kg to 800 kg



20P215
Inside box size: 254 x 144 x 35 cm
Exterior box size: 260 x 150 x 35 cm
Overall dimensions: 388 x 151 x 120 cm
Gross weight: 2,000 kg
Payload: 1,640 kg
Wheel size: 15"
Axles: 2 axles, with brakes
Side material: Aluminium
Loading height: 68 cm
Also available with gross weight from 2,000 kg to 1,300 kg



EXTRA DROPSIDES

Increases trailer space content. Removable. Height 35 cm.



NET GRID

Strong quality with front and rear opening. Height 60 cm.



TARPAULIN

Keeps trailer and goods dry. Strong quality. Can be supported with tarpaulin rod.



HIGH TARPAULIN

Strong quality with opening in the sides and back. Inside height 145 cm when mounted.



FRONT STAND

Hot galvanized, for lashing of goods. Mounted in the corner posts. Height 70 cm.



ALUMINIUM FLOOR

Increases the life of your trailer and provides non-slip ascending and descending.

Pro-Line series

Extra strong range of trailers for the professional user, 180 cm wide



[Model shown 2018 P3]

Solidly built trailer series - width 180 cm

Pro-Line trailers 180 cm wide, are the best-selling trailers for craftsmen and contractors. Charge lengths from 260 cm to 420 cm, and gross weights from 1,300 kg to 3,000 kg, make the series extremely popular.

Models in 320 cm and 420 cm length can be delivered with lockable ramp drawers under the load at extra cost. Practical and anti-theft protected.

The trailers are offered factory-fitted with other wheel sizes. All models come with powerful tilt jockey wheel.

The series offers a number of extra accessories, including extra dropsides, front stand and high tarpaulin.



STANDARD ACCESSORIES

Detachable sides and corner posts allow for flat bed.



STANDARD ACCESSORIES

Lashing eyes inside, folded into frame. Practical and strong.

VARIANT

The artisan's trailer

High strength and nice design



Dropsides: Increase the volume of trailers. Foldable and removable. Height 35 cm.



Front stand: Hot galvanized, for lashing of goods. Mounted in the corner posts. Height 70 cm.

See universal equipment on pages 38-39. Parts shown below are extra accessories.



[Model shown 2018 P3]



2018 P2
Inside box size: 255 x 175 x 35 cm
Exterior box size: 260 x 180 x 35 cm
Overall dimensions: 395 x 180 x 103 cm
Gross weight: 2,000 kg
Payload: 1,500 kg
Wheel size: 13"
Axles: 2 axles, with brakes
Side material: Aluminium
Loading height: 68 cm
Also available with gross weight from 2,000 kg to 1,300 kg



2018 P3
Inside box size: 315 x 175 x 35 cm
Exterior box size: 320 x 180 x 35 cm
Overall dimensions: 445 x 180 x 103 cm
Gross weight: 2,000 kg
Payload: 1,500 kg
Wheel size: 13"
Axles: 2 axles, with brakes
Side material: Aluminium
Loading height: 68 cm
Also available with gross weight from 2,000 kg to 1,300 kg



2018 P4
Inside box size: 415 x 175 x 35 cm
Exterior box size: 420 x 180 x 35 cm
Overall dimensions: 544 x 180 x 103 cm
Gross weight: 2,000 kg
Payload: 1,500 kg
Wheel size: 13"
Axles: 2 axles, with brakes
Side material: Aluminium
Loading height: 68 cm
Also available with gross weight from 2,000 kg to 1,300 kg



3018 P3
Inside box size: 375 x 175 x 35 cm
Exterior box size: 320 x 180 x 35 cm
Overall dimensions: 459 x 180 x 93 cm
Gross weight: 3,000 kg
Payload: 2,450 kg
Wheel size: 10" Compact
Axles: 2 axles, with brakes
Side material: Aluminium
Loading height: 57 cm
Also available with gross weight from 3,000 kg to 1,800 kg



3018 P4
Inside box size: 415 x 175 x 35 cm
Exterior box size: 420 x 180 x 35 cm
Overall dimensions: 561 x 180 x 93 cm
Gross weight: 3,000 kg
Payload: 2,440 kg
Wheel size: 10" Compact
Axles: 2 axles, with brakes
Side material: Aluminium
Loading height: 57 cm
Also available with gross weight from 3,000 kg to 1,800 kg



HIGH TARPAULIN

2 models with side and rear opening. Internal height 145 cm and 210 cm when mounted (for 2018 P2 only 145 cm offered).



Semi-Pro trailer

With 35 cm steel sides and removable corner posts



[Model shown 2015 P2]

Low built trailer

With 40 cm steel sides



[Model shown 2004 F2]



Powerful drawbars and 40 cm high sides.

VARIANT

2015 P2 Strong trailer



See universal equipment on pages 38-39. Parts shown below are extra accessories.

VARIANT

2004 F2 with low center of gravity



See universal equipment on pages 38-39. Parts shown below are extra accessories.



Powerful corner posts. Dropsides are removable.

2015 P2 Semi-Pro

Powerful leisure and business trailer

Semi-Pro caters to the private hobby user and craftsman with easy need.

The trailer is strong, all 4 steel sides are open and removable. The 4 corner posts give the trailer strength and stability. Standard accessories is jockey wheel and lashing eyes.

Extra dropsides, high tarpaulin and hardtop etc. can be purchased.

ADDITIONAL EQUIPMENT for 2015 P2 and 2004 F2



Increases trailer volume. Hard quality plastic. Height 100 cm.



Increases trailer space content. Removable. Height 30 cm.



Beautiful and powerful quality that can be locked. Fitted with shock absorbers. Height 10 cm.



Keeps trailer and goods dry. Can be supported with tarpaulin rod.



Strong quality with opening in the sides and back. Inside height 105 cm when mounted.



Tarpaulin, jockey wheel, trailer lock, ramp, etc. Large selection of accessories.

2015 P2

Inside box size: 255 x 145 x 39 cm
 Exterior box size: 260 x 150 x 40 cm
 Overall dimensions: 355 x 151 x 101 cm
 Gross weight: 2,000 kg
 Payload: 1,500 kg
 Wheel size: 13"
 Axles: 2 axles, with brakes
 Side material: Steel
 Loading height: 67 cm

Also available with gross weight from 2,000 kg to 1,300 kg

2004 F2

Inside box size: 255 x 145 x 38 cm
 Exterior box size: 260 x 150 x 40 cm
 Overall dimensions: 352 x 152 x 90 cm
 Gross weight: 2,000 kg
 Payload: 1,500 kg
 Wheel size: 13"
 Axles: 2 axles, with brakes
 Side material: Steel
 Loading height: 62 cm

Also available with gross weight from 2,000 kg to 1,300 kg

Low build tandem

With extra strong chassis and heavy-duty drawbar

The 2004 F2 is the trailer for the craftsman who wants a strong trailer with a big load, and at the same time a low loading height. The powerful wheels, the low loading height, 40 cm high sides and gross weight of 2,000 kg makes it a good companion when transporting gravel, sand, machinery etc.

The trailer comes standard with jockey wheel and lashing eyes.

Ramps, aluminum floor and net grid are part of the wide range of additional equipment.

SHARP PACKAGE PRICE

(contact a dealer for more information)

2004 F2 with 60 cm net grid

With opening in front and rear. Particularly suitable for transporting firewood, hedge trimming, branches and more. Removable without the use of tools.



INSIDE HEIGHT WITH NET GRID 100 CM.

Low-built trailers - width 150 cm

With steel sides and tip

Trailers with tip

Openable front and rear, as well as inside and outside lashing options, are standard.

754/1304 F1 with tip has shock absorber for tip function, as well as reinforced rear bumper and hinges.

Perfect for transporting light machinery.



[Model shown 754 F1 with tip]

VARIANT

Lightweight trailer



See universal equipment on pages 38-39. Parts shown below are extra accessories.

Low-built trailers - width 200 cm

With steel 40 cm sides and tip

F-tipper - suitable for Zero-turn lawn mowers etc.

Strong trailer series with fully welded and hot galvanized chassis. Specially developed for lawn mowers, etc., where low ground clearance at drive-way and extra large width is desired. The inner width of 195 cm and the simple but strong hydraulics makes the trailer unique.

When the machine is driven off the trailer, the hydraulics automatically fills oil into the cylinder so that the charge stays tipped. The trailer will be ready for the machine to run up again after finished work.

Both models come with 13" compact wheels. It ensures a low center of gravity as well as a low travel angle.

The powerful 70 cm rear ramp is fitted with non-slip aluminum floor plate and 4 strong hinges. Powerful front jockey wheel is standard. Extra accessories such as ramp tracks, high tarpaulin etc.



[Model shown 1519 F1]

Unique trailer with additional wide width

VARIANT

Fully welded trailer with hot-dip galvanized chassis



See universal equipment on pages 38-39. Parts shown below are extra accessories.



754 F1 with tip

Inside box size: 255 x 145 x 39 cm
 Exterior box size: 260 x 150 x 40 cm
 Overall dimensions: 350 x 150 x 87 cm
 Gross weight: 750 kg
 Payload: 500 kg
 Wheel size: 13"
 Axles: 1 axle, without brakes
 Side material: Steel
 Loading height: 50 cm
 Tipping angle: 14°

Also available with gross weight from 750 kg to 500 kg



1304 F1 with tip

Inside box size: 255 x 145 x 38 cm
 Exterior box size: 260 x 150 x 40 cm
 Overall dimensions: 355 x 150 x 93 cm
 Gross weight: 1,350 kg
 Payload: 1,050 kg
 Wheel size: 13"
 Axles: 1 axle, with brakes
 Side material: Steel
 Loading height: 52 cm
 Tipping angle: 14°

Also available with gross weight from 1,350 kg to 800 kg



715 F1 with tip

Inside box size: 255 x 145 x 27 cm
 Exterior box size: 260 x 150 x 28 cm
 Overall dimensions: 330 x 188 x 75 cm
 Gross weight: 730 kg
 Payload: 527 kg
 Wheel size: 13"
 Axles: 1 axle, without brakes
 Side material: Steel
 Loading height: 50 cm
 Tipping angle: 14°

Also available with gross weight from 750 kg to 800 kg



1315 F1 with tip

Inside box size: 255 x 145 x 27 cm
 Exterior box size: 260 x 150 x 28 cm
 Overall dimensions: 355 x 190 x 81 cm
 Gross weight: 1,350 kg
 Payload: 1,045 kg
 Wheel size: 13"
 Axles: 1 axle, with brakes
 Side material: Steel
 Loading height: 52 cm
 Tipping angle: 14°

Also available with gross weight from 1,350 kg to 1,000 kg



1519 F1

Inside box size: 314 x 185 x 39 cm
 Exterior box size: 320 x 200 x 40 cm
 Overall dimensions: 428 x 247 x 121 cm
 Gross weight: 1,500 kg
 Payload: 1,012 kg
 Wheel size: 13" Compact
 Axles: 1 axle, with brakes
 Side material: Steel
 Loading height: 50 cm
 Tipping angle: 15°

Also available with gross weight from 1,500 kg to 1,000 kg



1819 F1

Inside box size: 314 x 185 x 39 cm
 Exterior box size: 320 x 200 x 40 cm
 Overall dimensions: 474 x 247 x 121 cm
 Gross weight: 1,800 kg
 Payload: 1,312 kg
 Wheel size: 13" Compact
 Axles: 1 axle, with brakes
 Side material: Steel
 Loading height: 50 cm
 Tipping angle: 15°

Also available with gross weight from 1,800 kg to 1,000 kg



Hydraulic tip with hand pump ensures easy and effortless tip of the box. Powerful fasteners and jockey wheels is standard.



Keeps trailer and goods dry.



Inside height 95/110 cm when mounted.



Removable. Height 30 cm.



Open front.



Ribbed drawbars for easy and safe drive on and off the trailer.



Strong quality with opening in the sides and back. Internal height mounted - 205 cm.



Extra high rear bumper of 70 cm lined inside with non-slip aluminum floor. 4 strong hinges ensure stable travel.