

LATERAL
MEDICAL

HT-1415 / EN-14 Series / TC-145

Portable and saves space





New “Pistol Grip” Design

New operation part

Operate more comfortably, meets different clinical application scenarios.

(Applicable for certain models)



Multi-Function Buttons

Button function customisation for individual needs.



Angle Lock

Bending angle locking function for easy diagnosis and treatment.



Slender Insertion Tube

Alleviate patient discomfort.



Suction Valve Retainer

Unique angle prevents suction valve from falling off.

(Applicable for certain models)



Rotation

Improve operation flexibility and accuracy.


(Applicable for certain models)



EN-14 plus



EN-14T plus



EN-14X plus

SPECIFICATIONS

Model	Insertion Tube	Distal End	Working Channel	Working Length	Field of View	Depth of Field	Bending (Up/Down)	Rotation (Left/Right)	Angle Lock
EN-14 plus	2.1mm	1.8 / 2.4mm	\	300mm	120°	3-150mm	130°/130°	120°/120°	Yes
EN-14X plus	2.1mm	1.8 / 2.4mm	\	300mm	120°	3-150mm	130°/130°	No	Yes
EN-14H plus	3.1mm	2.5 / 3.4mm	\	300mm	120°	3-150mm	130°/130°	120°/120°	Yes
EN-14HX plus	3.1mm	2.5 / 3.4mm	\	300mm	120°	3-150mm	130°/130°	No	Yes
EN-14T plus	3.8mm	2.7 / 4.0mm	2.0mm	365mm	120°	3-150mm	130°/130°	120°/120°	Yes
EN-14HT plus	4.8mm	5.0 / 5.1mm	2.0mm	365mm	120°	3-150mm	130°/130°	120°/120°	Yes


IMAGE PROCESSOR HT-1515

MITMS



It supports real-time picture capture, report editing and printing and medical record management to improve the efficiency of diagnosis and treatment.

FOLDER MANAGEMENT



Support automatically generate patient folders, standardise the location of pictures, videos and reports, quickly find files and improve work efficiency.

IHB COLOUR EMPHASIS



It can enhance the mucosal vascular morphology of the lesion tissue and effectively help improve the clinical lesion recognition rate.

CUSTOM BUTTONS

Support endoscopy custom button function, can realize electronic magnification, structure enhancement, metering mode adjustment and other functions, improve operation efficiency.

INTELLIGENT IMAGE ALGORITHM

It can realize contour enhancement, dark area enhancement, narrow band imaging and other functions to meet the higher needs of doctors.

- 39.6cm high-definition touchscreen
- Video Standard: 1920x1080 (Full HD)
- Output Interfaces: USB*6, DVI*2, SDI*2
- Memory: 16GB RAM, 512 ROM
- Expandable Storage: 64GB USB flash drive





If there are any products not featured that you'd like
to obtain, or are interested in developing,
please contact us so we can explore suitable options

1300 144 734
contactus@lateralmedical.com
www.lateralmedical.com