

monitor

the world's
best equipment
supported
locally

Sales | Service | Parts | Hire | Finance

Morbark 1821 Wood Chipper

1800 025 024
monitor.net.au

@MonitorAUS



V1.0 - 241017



MORBARK 1821

The Morbark 1821 18-inch capacity Wood Chipper is ideal for residential tree services, utility line clearing, vegetation management, maintenance contractors and municipalities, this high-capacity, high-production chipper includes more standard features than any other chipper in its class.

The 1821 is also available tracked for right of way clearing, highway clean-ups and hard-to-reach areas requiring a self-propelled unit for material access.

The powerful TorqMax™ dual feed wheel compression system generates more than 6,600 lb./ft. (9,822 kg/m) of material pulling force. Many customer-inspired innovations are featured on the 1821, increasing efficiency and safety while reducing operating and maintenance costs. Unit is pre-plumbed and outfitted for the easy installation of most aftermarket components. Ergonomic infeed design provides consistent feed control bar activation.



18" x 20.5"
THROAT OPENING







Technical Specifications

| | |
|---------------------------|---------------------------------|
| Throat Opening (H x W) | 18" x 20.5" (45.7 x 52.1 cm) |
| Infeed Opening (H x W) | 41" x 59" |
| Fuel Capacity | 121.1 L |
| Power Source | 170 hp Cummins Diesel |
| Weight | 4380 kg |
| Lift & Crush | Std |
| Adjustable pintoll height | Std |
| Drum Diameter | 23.8" x 30" (60.3 x 76.2 cm) |
| Bump bar | Std |
| Folding Infeed Tray | Std |
| Spare Tyre | Std |
| Strobe Light | Std |

(All specs E&OE and subject to change)

Highlighted Features

- Dual horizontal feed wheels with TorqMax™ top feed wheel compression system, hydraulic lift assist, Variable Force constant hydraulic down pressure system with additional manually applied hydraulic down pressure at the valve handle and direct-drive bottom feed wheel with torque arm coupler
- Live hydraulic system including: ball valve, pump, motor, and valve bank with additional pre-plumbed valve section for installation of an aftermarket winch package
- 3" x 5" (12.7 x 7.6 cm) tubular steel telescoping drawbar with two 12" (30.5 cm) extensions.





zero
downtime
guarantee*



Our Locations

Branches & Service Centres



Tamworth

143 Gunnedah Rd
Tamworth NSW 2340



Sydney

49-50 Cassola Pl
Penrith NSW 2740



Melbourne

24-28 William Rd
Dandenong South VIC 3175



Brisbane

191 Magnesium Dr
Crestmead QLD 4132



Brisbane - Caboolture

2 Alta Drive
Caboolture QLD 4510



Perth

11 Reihill Rd
Maddington WA 6109



agent@monitor.net.au

1800 025 024
monitor.net.au

@MonitorAUS



monitor

the world's best equipment supported locally

Morbark 1821 Wood Chipper

7