



Shower Commode Range



Where Safety, Comfort, and Functionality Meet

Daily hygiene is fundamental to our well-being and dignity. The Aspire Shower Commode range has been thoughtfully engineered to transform the bathroom experience, making it safer, more comfortable, and more efficient for both users and their carers.

Crafted from high-quality, durable materials, each commode in our range is a testament to our commitment to quality. We believe that assistive technology should empower individuals, reduce physical strain on caregivers, and integrate seamlessly into the daily routine. Discover the Aspire difference, where every detail is designed with you in mind.

Tool-free Adjustments

Simple, intuitive adjustments allow carers and users to configure the commode for optimal height and comfort without the need for complicated tools, saving time and frustration.

Durable, Corrosion-resistant Frames

Ensures long-lasting performance and structural integrity, even in the demanding, wet conditions of a bathroom. This is an investment in years of reliable, safe use.

Integrated Safety Mechanisms

From high-quality locking castors that provide a stable base for transfers to secure armrest locks, every element is designed to ensure user safety and provide peace of mind for everyone.

Seamless Padded Seats

Water-resistant, easy-to-clean surfaces prevent bacterial build-up, while the supportive padding enhances comfort and provides effective pressure care during use.

5 YEAR WARRANTY
Corrosion

1 YEAR WARRANTY
Components



Check our comprehensive range of
Shower Commode Accessories

Self-propelled and Attendant-propelled Range 460 / 530 / 600mm

Open Armrests Style accommodates a wider sitting surface whilst maintaining a smaller base footprint providing improved accessibility for users

8° Backrest Angle ensures patient comfort

Self-propelled Models

Large Self-propelling Rear Wheels with Push Rims enables users with sufficient upper body strength to manoeuvre themselves independently

Safety Arms prevent falls and swing back out of the way for transfers

Integrated Access Trough improves hygiene whilst maintaining toilet bowl clearance height of 465mm

Attendant-propelled Models

4 x TENTE Total Locking Castors great for caregivers to guide the commode through narrow doorways and compact bathrooms



Height Adjustable Swing Away Footrests

Provides unobstructed, safe access for side transfers from a bed, wheelchair, or toilet, making daily routines smoother and safer



Weight Bearing Platform with Non-Slip Surface

Allows the user to stand securely during transfers, promoting muscle engagement and reducing the physical load on the carer. It fosters a more independent and dignified transfer process




Clinical
Assistance
Guide

Code	Description	Height	Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height	SWL
Self Propelled Models									
BTC066100	460 Swing Away Footrest	995	665	460	305	225	590	560	200kg
BTC066200	460 Weight Bearing Platform	995	665	460	305	225	590	560	200kg
BTC066065	530 Swing Away Footrest	995	735	530	305	225	590	560	200kg
BTC066055	530 Weight Bearing Platform	995	735	530	305	225	590	560	200kg
BTC061305	600 Swing Away Footrest	995	805	600	305	225	590	560	200kg
Attendant Propelled Models									
BTC065900	460 Swing Away Footrest	995	535	460	305	225	590	560	200kg
BTC066000	460 Weight Bearing Platform	995	535	460	305	225	590	560	200kg
BTC066060	530 Swing Away Footrest	995	605	530	305	225	590	560	200kg
BTC066050	530 Weight Bearing Platform	995	605	530	305	225	590	560	200kg
BTC061300	600 Swing Away Footrest	995	675	600	305	225	590	560	200kg
BTC061400	600 Weight Bearing Platform	995	725	600	300	290	590	560	400kg

Tilt and Recline Shower Commode 460 / 530mm

Advanced Positioning and Pressure Management

For individuals with complex postural needs, this model provides superior support and pressure redistribution.



Configurable Backrest
As full length or 3/4 length with the top 1/4 section removable if needed



-5° to 35° of Gas-assisted Tilt-in-space
Minimises manual handling efforts during the showering process

Height Adjustable, Swing Away Footrests for optimal positioning and ease of transfers
30° of Backrest Angle Adjustment in 10° increments for effortless repositioning and maximum user comfort out of the way for transfers
Safety Arms prevent falls and swing back

4 x TENTE Total Locking Castors great for caregivers to guide the commode through narrow doorways and compact bathrooms
Open Back Straps provide greater access for bathing needs
Tool-free Height Adjustment to 4 settings allow the commode to be easily adapted to varying needs



Clinical Assistance Guide



Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC066030	460 Tilt and Recline	1315 - 1485	560	460	900	275	460 - 630	460 - 620
BTC066040	530 Tilt and Recline	1315 - 1485	630	530	900	275	460 - 630	460 - 620

All measurements are in millimetres unless otherwise specified

Bariatric Shower Commode 790mm

Robust Support, Uncompromised Safety

Engineered to provide exceptional stability and security for larger users, without compromising on comfort or functionality.

Height Adjustable, Swing Away Footrests

For optimal positioning and ease of transfers

Super Heavy Duty Bariatric Design with 790mm seat and 350kg SWL

Padded Seat and Arms for maximum comfort

Removable Arms to assist with positioning and allow lateral slide transfers

Anti-bacterial Frame Coating for improved infection control

Comes Standard with pan and carrier

4x Lockable Castors maximise safety by providing carer access to a brake at all angles around the commode



Clinical
Assistance
Guide



Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC061200	Bariatric Shower Commode	990	900	790	430	170	570	570

Aluminium Commode 440mm

Lightweight Agility, Enduring Performance

Ultra-lightweight aluminium frame that is easy to manoeuvre and transport.

Tool-free Height Adjustment customise height to meet individual user needs, ensuring quick setup

Swing Away Footrests pivot away for seamless transfers and optimal positioning during use

Premium Powder-coated Aluminium Construction with corrosion-resistant finish for easy cleaning and longevity

Swing-back Comfort Arms for unrestricted side transfers while providing reliable support

Standard Infection Control Bowl and carrier promote optimal hygiene and waste management



Clinical
Assistance
Guide



Self-propelled

24" lightweight self propelling wheels with hand brakes and anti-tippers

Attendant-propelled

4 x total locking, height adjustable stainless steel castors



Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC068020	Self propelled	970 - 995	610	440	490	235	525	510
BTC068010	Attendant Propelled	990 - 1040	460	440	495	220	550	550