

MALMET

105 LITRE BLANKET WARMING CABINETS

The Malmet 105 litre Blanket Warming cabinets are designed to be placed on any bench top.

Reduce the risk of hypothermic reaction, post-operative discomfort and stress in patients. Blankets are gently heated to restore body temperature post surgery, and assist thermo-regulation. Blanket warming cabinets are recommended for Recovery, Maternity, General Ward, Specialist and Intensive Care Units.

- Stainless Steel Construction with insulation cavity, therefore the exterior is cool to touch
- Double glazed doors for inventory monitoring
- Magnetic door closure
- Over temperature protection (5°C above setting) and temperature lockout
- Fan-assisted convection heating
- Adjustable shelving (2 x wire shelves)
- ARTG Certification 289497 Class I

UNIT DIMENSIONS:	500mm (W) x 595mm (D) x 735mm (H)
VOLTAGE:	240V
CURRENT:	2.8 Amps
PHASE:	Single
HERTZ:	50
SHIPPING WEIGHT:	57 kg
CAPACITY:	Up to 6 blankets
VOLUME:	105 litres
SET TEMPERATURE:	60°C
MAX TEMPERATURE SETTING:	60°C
POWER CONSUMPTION:	Less than 7.8kW/24hrs



MODEL: B105BT



AVAILABLE MODELS	Product Code	Model No	Description
	100-1020	B105BT	MALMET BLANKET WARMING CABINET (105 LITRE) BENCH TOP

MALMET

105 LITRE FLUID WARMING CABINETS

The only safe and accurate method of determining and maintaining saline, irrigation, glycine, parenteral and IPD fluid temperature to the manufacturer's recommendations. Fluid warming cabinets are essential in Maternity, Recovery, Theatre, Specialist and Intensive Care units.

- Stainless Steel Construction with insulation cavity, therefore the exterior is cool to touch
- Double glazed doors for inventory monitoring
- Magnetic door closure
- Special sensor plate for actual fluid temperature monitoring
- Over temperature protection (5°C above setting) and temperature lockout
- Fan-assisted convection heating
- Adjustable shelving; 1 litre and 2 litre bottles and bags can be stored (3 x wire shelves; bottom fixed)
- ARTG Certification 188762 Class I

UNIT DIMENSIONS:	500mm (W) x 595mm (D) x 735mm (H)
VOLTAGE:	240V
CURRENT:	2.8 Amps
PHASE:	Single
HERTZ:	50
SHIPPING WEIGHT:	59 kg
CAPACITY:	Up to 24 x 1 litre bags of fluid; or equivalent
VOLUME:	105 litres
SET TEMPERATURE:	37°C
MAX TEMPERATURE SETTING:	50°C
POWER CONSUMPTION:	Less than 78kW/24hrs



MODEL: F105BT



AVAILABLE MODELS

Product Code	Model No	Description
100-1120	F105BT	MALMET FLUID WARMING CABINET (105 LITRE) BENCH TOP

MALMET

WARMING CABINETS (105 LITRE X2)

The Malmel 105 litre x2 Warming cabinets are designed for space-conscious areas of any facility. This cabinet combines the features of Malmel 105 litre Blanket Warming cabinets and Malmel 105 litre Fluid warming cabinets in a variety of combinations to suit your requirements.

- Stainless Steel Construction with insulation cavity, therefore the exterior is cool to touch
- Double glazed doors for inventory monitoring
- Magnetic door closure
- Over temperature protection (5°C above setting) and temperature lockout
- Fan-assisted convection heating
- Adjustable shelving



MODEL: FB105FS



UNIT DIMENSIONS:	500mm (W) x 595mm (D) x 1380mm (H)	
VOLTAGE:	240V	
CURRENT:	2.8 Amps	
PHASE:	Single	
HERTZ:	50	
SHIPPING WEIGHT:	106 kg	
CAPACITY:	Up to 6 blankets (per blanket cavity) Up to 24 x 1 litre bags of fluid; or equivalent (per fluid cavity)	
VOLUME:	105 litres (per cavity)	
	Blanket Warming Cavity	Fluid Warming Cavity
SET TEMPERATURE:	60°C	37°C
MAX TEMPERATURE SETTING:	60°C	50°C
POWER CONSUMPTION:	Less than 78kW/24hrs	

AVAILABLE MODELS	Product Code	Model No	Description
	100-1220	BB105FS	MALMET BLANKET/BLANKET WARMING CABINET (105 LITRE X 2) FREESTANDING WITH FLOOR SKIRT
	100-1221	FF105FS	MALMET FLUID/FLUID WARMING CABINET (105 LITRE X 2) FREESTANDING WITH FLOOR SKIRT
	100-1222	FB105FS	MALMET FLUID/BLANKET WARMING CABINET (105 LITRE X 2) FREESTANDING WITH FLOOR SKIRT