



Dexion (Australia) Pty Limited. ABN 83 000 083 956. Head Office: 23 Tattersall Road, Kings Park NSW 2148. [dexion.com.au](http://dexion.com.au)  
Dexion New Zealand. Incorp No. 1856839. Head Office: 423 East Tamaki Road, East Tamaki, Auckland 2013. [dexion.co.nz](http://dexion.co.nz)

Whilst the utmost care is taken to ensure the accuracy of the information contained herein, it is provided in the understanding that the company shall under no circumstances be liable for any injuries, expenses or other losses which may in any way be attributable to the use or adoption of such data and/or design details. All dimensions indicated are nominal only. Dexion reserves the right to alter or amend without prior notice data and design details specified herein. Product specifications may vary between regions. Re-Order Code M067. F+S/A/DEX0036



Carton live storage



First in, First out.

# Carton live storage.

## Your business:

You arrange your access on a first in, first out basis. You need to hold more inventory at the pick face whilst reducing replenishment frequency. You hold a large number of unique items, that are picked in small quantities and are not suited to palletisation.

## Our solution:

Carton live storage is a gravity-fed order picking system designed to increase efficiency while decreasing required floor space. It delivers full carton and split carton picking, with low capital outlay and operating costs, and its more orderly picking system saves labour. Pickers work in the front aisle while replenishers work in the back. First in, first out rotation in any lane is ensured. In high-volume situations, a pick-and-put-to-light increases speed, efficiency and accuracy.

## The vital statistics:

### Selecta Flo:

Standard bed depths  
1520mm, 2320mm, 3020mm

### Standard bed widths

1524mm, 2591mm, 2743mm

Loads single bay racks  
2000 to 5000kg per bay


Multibay racks  
2800 to 6800kg per bay

### Roller Flo:

Roller widths (mm) / max handling load width (mm)  
152/228, 229/344,  
305/458, 381/572

Standard track lengths (mm)  
/ overall frame depth (mm)  
1946/2057, 2327/2438  
2937/3048

Variable roller pitch to suit needs.





# Selecta Flo: High density and efficiency.

**Beds are mounted directly to uprights eliminating the need for additional beams.**

**Lead in guides ensure pick positions are clearly identified and maintained when goods are being replenished.**

**Full-length dividers can be fitted to ensure stock doesn't track sideways as it travels down the bed.**

**Flush bed length configuration.**

**Shallow tray drop out configuration.**

**Tiered bed length configuration.**

**Deep tray drop out configuration.**



Suited to heavier applications.

## Roller Flo: Carton live storage for your existing racking.



Create small  
parts picking  
environment.



Easily fitted to  
existing pallet  
racking beams.



Roller Flo provides  
a robust carton  
live storage  
solution. It provides  
an adaptable  
alternative to  
pallet or split  
case picking,  
depending on your  
requirements.