



SWEeper LINE

ASC T3

QUALITY WITHOUT COMPROMISE

INDUSTRIAL RIDE-ON SWEEPER



SWEEPER.COM.AU

FREE CALL 1800 650 989

ASC T3

QUALITY WITHOUT COMPROMISE

The ASC T3 is an industrial grade machine designed for a variety of applications.

Due to its compact design the machine is equipped to be manoeuvrable in tight spaces. The T3 is a rear-wheel-driven sweeper, giving it a high climbing capacity of up to 18%.

Equipped with a high-capacity water-misting system, the machine effectively mitigates dust while sweeping.

With the T3's adjustable main brush, perfect cleaning is achieved on all surfaces.



SIMPLE OPERATION



The T3 features a simple control panel which can be understood in seconds by most operators.

ZERO-MAINTENANCE BATTERIES



Fitted with sealed AGM batteries, the machine is extremely operator friendly, requiring no top-up of fluids compared to standard batteries.

REINFORCED SIDE BROOMS



The side brushes on the T3 are fitted with heavy-duty steel protection guards to prevent damage to the motor.

FEATURES

- Reinforced side brooms
- AGM zero maintenance batteries
- Up to 18% climbing capacity
- Adjustable brushes
- Water misting system
- Automatic filter shaker button
- Easy brush adjustment
- Heavy-duty solid tyres
- Front safety lights
- High capacity water tank



www.sweeper.com.au

AUSTRALIAN SWEEPER COMPANY

HEAD OFFICE: 6 MONEY CLOSE, ROUSE HILL, NSW 2155

TELEPHONE: 02 9854 0900

FREE CALL 1800 650 989

FILTRATION SYSTEM



The high-capacity, 6 sqm filtration system on the ASC T3 eliminates up to 99% of airborne dust.

EASY HOPPER REMOVAL



The hopper is designed to be simple to empty and clean.

WATER MISTING SYSTEM



The ASC T3 is fitted with a dedicated water suppression system, working together with its filtration system to eliminate airborne dust.



WATER TANK

CONTROL PANEL

SAFETY LIGHTS

WATER MISTING

SIDE BROOM PROTECTION

SOLID TYRES




asc
BUILT TO LAST
WWW.SWEEPER.COM.AU

www.sweeper.com.au

AUSTRALIAN SWEEPER COMPANY
HEAD OFFICE: 6 MONEY CLOSE, ROUSE HILL, NSW 2155
TELEPHONE: 02 9854 0900

FREE CALL 1800 650 989

REAR-WHEEL DRIVE MOTOR



Due to the T3's rear-positioned drive motor, the machine is able to climb inclines up to 18%. For this reason, the machine is suitable to sweep car parks, outdoor areas and warehousing spaces with ramps.

APPLICATIONS

Construction sites, warehouses, manufacturing plants, workshops, clubs and any outdoor area.

SPECIFICATIONS

TECHNICAL SPECIFICATIONS	ASC T3
MAIN BRUSH WIDTH	700 mm
CLEANING PATH (2 side brooms)	1.330 mm
HOURLY PERFORMANCE	7.315m ² /h
FORWARD SPEED	6.5 km/h
POWER	24V AGM Battery
HOPPER CAPACITY	100 L
WATER CAPACITY	30 L
WEIGHT	290 kg
DIMENSIONS (mm)	1.395 x 1.010 x 1.200
FILTRATION SYSTEM	6 sqm, cartridge
CLIMBING CAPACITY	18% Gradient
TRANSMISSION	24V 800W, Electric
RUN TIME	4 hr

