



URL: https://www.foodequipment.com.au/media/catalog/product/I/g/Ig-370ge-upright-fridge.jpg

LG-370GE Single Glass Door Colourbond Upright Drink Fridge

Quick Overview

- Fashionable Design With Led Lighting
- · Cfc-Free Insulation & Refrigerant
- Low-Energy Consumption
- High Cooling Efficiency
- Illuminated Canopy
- Vertical Fluorescent Lamp
- Easy Adjustable Shelves
- Self-Closing Glass Door
- External Door Handle
- 2 Layer Tempered Door Glass
- White Powder Coated Steel Plate
- Automatic Defrost And Condensate Evaporation
- Heavy Duty Castors With Brake
- Lock & Key

Description

LG-370GE Single Glass Door Colourbond Upright Drink Fridge

This single glass upright door fridge is one of our premier fridges straight from the doors of Federal Hospitality Equipment. This visually striking unit is built to fit snugly into tight corners and spaces to store, cool or freeze your stock and ingredients, whether it 's fitting stock in your store front for customers to grab snacks, meals or drinks or ingredients in your back fridge. This narrow, refined piece is especially suited to restaurant kitchens, supermarket backrooms, takeaway stores and café store fronts.

Fashionably designed with powder white steel panels, this elegant appearance comes with robust features including high cooling efficiency, low energy consumption, tempered glass door, castors and automatic defrost.

Single Door 370 Litre

Refrigerated 2 to 8 ° C

Ambient 38°c & 65% Rh

- · Fashionable Design With Led Lighting
- Cfc-Free Insulation & Refrigerant
- Low-Energy Consumption
- High Cooling Efficiency

1

- Illuminated Canopy
- Vertical Fluorescent Lamp
- Easy Adjustable Shelves
- Self-Closing Glass Door
- External Door Handle
- 2 Layer Tempered Door Glass
- White Powder Coated Steel Plate
- Automatic Defrost And Condensate Evaporation
- Heavy Duty Castors With Brake
- Lock & Key

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	72
Width (mm)	610
Depth (mm)	610
Height (mm)	1973
Packing Width (mm)	660
Packing Depth (mm)	660
Packing Height (mm)	2015
Power	240V; 285W