

ROTO-COMPACTOR APS1100

PRODUCT SPECIFICATIONS

The Bergmann APS1100 Roto-Compactor crushes and compacts waste directly in an 1100L wheelie bin. Continuous filling and high compaction streamline waste handling, cut collection costs, and free up space.

Suitable for compaction of a wide range of waste materials including general waste.





Features

- High compaction force optimising transport payloads
- Suitable for a range of waste material
- Easy & safe to operate
- Robust design & build - engineered for long life and optimum performance

Options

- Custom feed hopper
- Roof
- Water sprinkler system
- Odour control
- Pull-down chute
- Special-purpose compaction head



ROTO-COMPACTOR APS1100

PRODUCT SPECIFICATIONS

DIMENSIONS	
Height	2597 mm
Width	1462 mm
Depth	1724 mm
Feed Height	1470 mm
Weight	900 kg
PERFORMANCE	
Power	415 V 3 Phase
Motor	1.5 kW + 0.55 kW
Drum Rotation Speed	20 rpm
Noise level	55 dB
Cycle Time	Pre-set
Compaction Ratio*	10:1
LOADING APERTURE	
Height	662 mm
Width	1052 mm

**Dependent on material*







VERTECH

BERGMANN MACHINES

ROTO-COMPACTOR APS1100

PRODUCT SCHEMATICS




Compaction Ratio
Up to 10:1



Motor
1.5 kW & 0.55 kW



Waste Types
Cardboard,
General Waste &
Processed Food



Size Comparison