

JIALIFT®



www.jialift.com.au

HIW2

Electric Scissor Lift table

- 1000kg Capacity;
- Min-max table height: 190 – 1040mm
- Safe, reliable, sustainable and low maintenance

CE

1T Electric Scissor Lift table

These high-quality scissor lift tables are driven by an electric motor mounted under the table, which is controlled by a pendant hand controller on a curly cable.

The table utilizes a safety bar around the perimeter to sense any foreign objects in which case it will stop the movement instantly. These tables are normally operated from the factory floor but can be installed in a pit (require eyebolt lifting lugs).

- The tried and trusted lift table with sturdy construction.
- Multiple uses such as lifting and lowering materials, level compensation when fitting machines, installations in the conveyor system, etc.
- Compact hydraulic design with all safety components complying with EN1570.
- High-pressure cylinder with dual safety function.
- Hard chrome plated piston rods.
- Lift and lower by easily push buttons to reach the ergonomically correct working height.
- With the emergency switch off and a 3m long control cable.

Warranty: 1 Year refer to the JIALIFT warranty terms and conditions



JIALIFT AUSTRALIA PTY LTD

Call Us: 1300 000 168 Email: sales@jialift.com.au

46-48 Geddes St, Mulgrave VIC 3170 Open at 8:30 am - 5:30 pm, Monday-Friday



www.jialift.com.au

Distinguishing mark		
Model designation		HIW2.0
Load capacity	kg	1000
Min. height	mm	190
Max. lifting height	mm	1040
Lifting time	s	
Weight		
Service weight	kg	220
Dimensions		
Platform size	mm	1300x800
Electric-engine		
Lift motor	kw	0.75



JIALIFT AUSTRALIA PTY LTD

Call Us: 1300 000 168 Email: sales@jialift.com.au

46-48 Geddes St, Mulgrave VIC 3170 Open at 8:30 am - 5:30 pm, Monday-Friday



www.jialift.com.au