



## Three sliding door bar cooler - SC316SD

### Quick Overview

- Two levels of shelving plus floor
- Digital temp. control & read-out
- Zanussi compressors
- 2 to 8 ° C
- Ambient 32°C & 75% RH
- Double glazed doors
- Lockable doors
- Self-closing doors
- Auto-defrost
- Strong industrial shelving
- Fully adjustable shelves
- Light inside
- On castors for easy moving & cleaning

URL: <https://www.foodequipment.com.au/media/catalog/product/s/c/sc316sd-bar-cooler.jpg>

### Description

Three sliding door bar cooler - SC316SD

Commercial Use Professional Bar Coolers - The Largest Range in Australasia

Refrigerated: 2 to 8 ° C

- Two levels of shelving plus floor
- Digital temp. control & read-out
- Zanussi compressors
- 2 to 8 ° C
- Ambient 32°C & 75% RH
- Double glazed doors
- Lockable doors
- Self-closing doors
- Auto-defrost
- Strong industrial shelving
- Fully adjustable shelves
- Light inside
- On castors for easy moving & cleaning

Dimensions: 1350mmW x 535D x 900H

\*Allow 100mm clearance for installation, all vents must be left clear



Your Shipping Specifications

Net Weight (Kg)	92
Width (mm)	1350
Depth (mm)	535
Height (mm)	900
Packing Width (mm)	600
Packing Depth (mm)	1400
Packing Height (mm)	1040
Power	240V; 315W; 10A outlet required