Paxum® X0se

Paxum Carton Wrapping Machine

#62103



Intelligent Technology | **Simple Operation** | **250% Pre-Stretch Rate** | **Auto Height Measurement**

Paxum Films

Gateway Packaging Pty Ltd

Experience the Paxum X0se Carton Wrapping Machine, a reliable and efficient solution for all your packaging needs. With its advanced technology and smart features, it simplifies the wrapping process while ensuring secure and cost-effective results

Highlights

- **X-line IoT Technology:**
  Intuitive, user-friendly operation
- **Remarkable 250% Pre-stretch Rate:**
  Cost-saving film stretching (1m to 3.5m)
- **Photoelectric Sensor Technology:**
  Intelligent, faster wrapping
  Height detection capabilities
- **Stable Pneumatic Compression Rod**



Features

- **Intelligent and Simple Operation System:**
  The touch screen interface is intuitively designed, making it easy to comprehend and operate with intelligence
- **Optional Weighing Scale:**
  Our solution offers an optional weighing device that can be customized according to your preferences. This feature allows users to precisely determine the weight of each case or box, providing a tailored solution to meet their specific weighing requirements.
- **Top Pressure Plate**
  The top pressure plate securely holds the pallet, making it ideal for unstable boxes or cases.
- **Automatically measures height**
  Utilizing AUTONICS photoelectric sensor technology, our system effortlessly measures the height of each carton, allowing for intelligent wrapping of various items such as luggage, boxes, or cases.
- **3 Year Warranty**



Optional

- **Optional Weighing Scale:**
  Customizable weighing device
  Accurate weight determination
  Efficient handling and management

Specifications

Max Load Weight	100KG	**Fix film on item**	Manual
Wrapping speed	0-34 RPM	**Intelligent alarm**	Included
Packing Sizes	Length: 220 - 600mm Width: 220 - 600mm Height: 100 - 900mm	**Auto cut film**	Optional
Pre-stretch rate	200% (1m to 3m) or 250% (1m to 3.5m)	**Speed adjustable**	Included
Up & down speed	1.5-5.5m/min	**Measure height**	Automatic
Packing speed	100 - 120 pack/hour	**Product memory**	Five modes
Wrapping force	Adjustable	**Sensor**	SICK
Film width	500mm	**PLC**	SIEMENS
Film diameter	250mm	**Inverter**	SIEMENS
Film paper core	76mm	**Touch screen**	SIEMENS
Film weight	Maximum 15kg	**Voltage**	220V-240V 50/60Hz single-phase
Machine power	0.6KW	**Compressed Air Required**	Yes
Soft start & stop	Included	**Warranty**	3 Years







See me in action!

Paxum®X0se