



MC 50 Advanced

The compact machine for year-round use - also for use in winter and on grassed surfaces.



1 Quick-change concept for attachments without tools

- Quick and easy attachment changeover by one person. The machine can be converted from a sweeper to a winter maintenance vehicle within minutes, or used for grass cutting.



2 4WD all-wheel drive

- For optimal grip and propulsion also on wet and slippery surfaces (e.g. for use in winter or on grassed areas).



3 Highly efficient vacuum system

- Designed to reduce fuel and water consumption as well as exhaust emissions and operating noise.



4 Heating and air conditioning

- The MC 50 Adv Comfort offers maximum working comfort in warmer environments.



MC 50 Advanced

- Prepared for year-round use
- Sweeping, mowing, winter maintenance
- Highly efficient vacuum system

Technical data

| | | |
|--|---------------------------------|--------------------|
| Order No. | 1.442-202.2 | |
| EAN code | 4039784446748 | |
| Drive | 4-stroke diesel engine / Yanmar | |
| Drive power | kW / hp | 19,2 / 26 |
| Max. area performance | m²/h | 14000 |
| Working width | mm | 1400 |
| Max. working width with third side brush | mm | 2000 |
| Sweeping width variable | mm | 1100-1400 |
| Container | l | 500 |
| Load capacity | kg | 400 |
| Water tank | l | 165 |
| Climbing capacity | % | 25 |
| Travel speed | km/h | 20 |
| Turning radius | m | 0,75 |
| High container emptying | m | 1,45 |
| Operating hours on one tankful | h | 13 |
| Weight | kg | 1110 |
| Dimensions (L x W x H) | mm | 2960 x 1090 x 1970 |

Equipment

| | | | | |
|---|---|--|---|-----|
| Central lubrication | ■ | Container | l | 500 |
| Operating hour meter for sweeping mechanism | ■ | Panorama cab with safety glass, 2 rear-view mirrors | ■ | |
| Comfort seat | ■ | Rotating warning beacon | ■ | |
| Heating and air conditioning | ■ | Water spraying system suppresses dust around side brushes and in intake duct | ■ | |
| Heater | ■ | Doors left/right | ■ | |
| Vacuum | ■ | 4-wheel chassis, ergonomic power steering | ■ | |
| Adjustable side brush speed | ■ | Water tank | l | 165 |

■ Included in delivery.

ACCESSORIES FOR MC 50 ADVANCED

1.442-202.2



| | | Order No. | Installation ex works | Length / width | Diame- ter | | Price | Description | |
|------------------------------|---|-------------|--------------------------|-------------------|---------------|--|-------|-------------|---|
| Standard side brushes | | | | | | | | | |
| Side-brush, standard | 1 | 6.966-052.0 | | | 650 mm | | | | ■ |
| | 2 | 6.966-056.0 | | | 650 cm | | | | ■ |
| Side brush, hard | | | | | | | | | |
| Side brush, hard | 3 | 6.966-054.0 | | | 650 mm | | | | □ |
| | 4 | 6.966-058.0 | | | 650 mm | | | | □ |
| Side brush, soft | | | | | | | | | |
| Side brush, soft | 5 | 6.966-055.0 | | | 650 mm | | | | □ |
| Soft side brush | 6 | 6.966-057.0 | | | 650 mm | | | | □ |

■ Included in delivery. □ Available accessories.