



MOBILE
CONVEYING
SERVICES
PTY LTD

SUPERIOR

Zipline Conveyors

Zipline™ Conveyor

More Time Producing,
Less Time Preparing



Fast Installation

Pre-engineered, modular overland system designed for quick, tool-less installations.

Standard Components

Accommodates off-the-shelf, easy to source idlers and accessories.

Cost Effective

Based on factors like structure and installation, a low cost alternative to highly engineered conveyors.

Prompt Deliveries

Stocked by our network of dealers or available via fast lead times.

Flexible Modifications

Modular system easily adapts to future additions or subtractions to length.

► MCS Support, 24/7.

AVAILABLE

QUICKLY!



FAST

INSTALLATION



LOW

COST



Superior Brand Conveyor Components:


Superior is North America's only manufacturer to build both conveyor systems and their related accessories. Its conveyor components division manufactures idlers, pulleys, belt cleaners and more to lower cost per ton and reduce maintenance.

Zipline™ Conveyor

Belt width (mm)		750		900		1,050	
Power (kW)		22	37	37	56	45	75
6° Incline	Maximum length (m)*	76.2	152.4	76.2	121.9	76.2	106.7
	Maximum lift (m)	9.1	16.0	8.2	12.8	6.7	11.9
Flat	Maximum length (m)*	152.4	304.8	152.4	304.8	152.4	304.8
	Maximum lift (m)	3.0	3.0	3.0	3.0	3.0	3.0
Belt speed (m/min)		120	120	120	120	135	135
Output (tonnes/hr)		450	450	900	900	1,350	1,350


*Length = feed to discharge

Dimensions




A	B	C	D	E
1,500 mm Rock Box or 1,700 mm Sloped Hopper	Varies	3,050 mm	12,090 mm	2,580 mm

Channel Stringer



Intermediate Stand



A	B	C	D
3,023 mm	Varies (Belt Width based)	533 mm	305 mm

- ▶ 102 mm Structural Channel
- ▶ Medium Duty Bearings

- ▶ CEMA C5 Idlers, Standard
- ▶ Idler Spacing = 1200 mm - 1500 mm**

- ▶ All Pillow Block Bearings
- ▶ Galvanised Intermediates

** Available in 3,048 mm increments

Section Options

Tail

Choose one

- ▶ No Take-up
- ▶ 900 mm Take-up
- ▶ 1,800 mm Take-up

Options

- ▶ Rock Box Hopper (1,500 mm)
- ▶ Sloped Side Hopper (1,700 mm)

Intermediate

Choose one

- ▶ 1,200 mm Idler Spacing
- ▶ 1,500 mm Idler Spacing

Options

- ▶ Return Guards
- ▶ E-Stop
- ▶ Self-Aligning Trough Idlers
- ▶ Navigator® Return Trainer

Head

- ▶ Power Selection

Options

- ▶ Discharge Hood
- ▶ Scissors Gravity Take-up

Australian distributor Mobile Conveying Services
www.mobileconveyors.com.au or call 1300 665 409



© 2014 Superior Industries



- ▶ TeleStacker® Conveyor
- ▶ PowerStacker® Conveyor
- ▶ Portable Radial Stacking Conveyor
- ▶ Self-Contained Portable Radial Stacking Conveyor
- ▶ Pinnacle® Conveyor
- ▶ Portable Jump Conveyor
- ▶ Stack-Pac™ Conveyor
- ▶ Slide-Pac Conveyor
- ▶ Trailblazer™ Conveyor
- ▶ Zipline™ Conveyor
- ▶ Stackable Conveyor
- ▶ Extender™ Conveyor
- ▶ Conveyor Mobility Options
- ▶ RazerTail® Truck Unloader
- ▶ Tunnel Reclaim Conveyor
- ▶ Portable Feed Hopper
- ▶ Modular Feed Hopper
- ▶ Clay Hopper
- ▶ Mobile Ship and Barge Loading
- ▶ Dozer Trap
- ▶ Geotrek™ Tracked Conveyor
- ▶ Conveyor Wear Life Solutions



Phone 1300 665 409
www.mobileconveyors.com.au

