



INDUSTRY
PRESENTATION

2021

CARTON INDUSTRY.

PROCESS

CONTROL

WE, THE HIGHEST STANDARDS.



The **UNI EN ISO 9001:2008** certification guarantees the quality of our products and the organization of the working group.

It therefore ensures **punctuality** and the respect of the delivery timetables

agreed with our clients, the correct **industrial operations** and the compliance with compulsory regulations as requested by

the **European Committee for Standardizations**.


WE, OVER 40 YEARS OF EXPERIENCE.

Heavy duty structure machines and lines for long life working.

High level designed and innovation.

High quality brand equipment's


Efficient pre / after sales support all over the world.



HISTORY

HERITAGE

WE, CREATING NEW KNOWLEDGE.




A company **attentive** to the requests of the market.

The R&D department is always looking to
improve the known technologies and **develop**
new technologies and **products**.

WE, MANUFACTURING QUALITY.

A works area of 11,000 sq.m

Hundreds of machines exported all over the world every year,
solidity which springs from continuous investment in
advanced technologies and the certainty of a world leader.



PRODUCT


PERFORMANCE

WE,
YOUR SAFETY.

TECHNOLOGY

RELIABILITY

**A SIMPLE GOAL:
YOUR GOODS AROUND THE
WORLD IN TOTAL SAFETY.**



WE,
DELIVERING
EXCELLENCE.



EXPERIENCE AT 360°

CORRUGATED

BAGS


COILS

BOXES

PROJECT

CUSTOMIZATION

VHP/FLPS-2T.



CORRUGATED

STANDARD

HEAD

DOUBLE PET
9-16 mm 16-19 mm

FEATURES

PRESS 2500 Kg
min-med-high

FEATURES

SIEMENS
PLC and HMI

1800N – 4500N
tension

REDUCED FOOTPRINT

**AUTOMATIC
POSITIONING**
head trolley

THERMO
welding

**DOUBLE
BAYONET**
for pallet strapping

INVERTER
head truck control

**STRAP
TENSION**
balance device

**DOUBLE
20-70-150 Kg**
strap dispenser

SAFETY
pneumatic pins

VHP/MRLPS-2T.



CORRUGATED

STANDARD

HEAD

DOUBLE PET
9-16 mm 16-19 mm

FEATURES

PRESS 2000 Kg
min-med-high

FEATURES

SIEMENS
PLC and HMI

1800N – 4500N
tension

MOVABLE
on rails

**AUTOMATIC
POSITIONING**
head trolley

THERMO
welding

**DOUBLE
BAYONET**
serving 2 heights


INVERTER
head truck control

**STRAP
TENSION**
balance device

**DOUBLE
20-70-150 Kg**
strap dispenser

SAFETY
pneumatic pins

VKE/FS2G



COILS

STANDARD

HEAD

PET

9-16 mm 16-19 mm

FEATURES

**AUTOMATIC
POSITIONING**
head trolley

FEATURES

SIEMENS
PLC and HMI

1800N – 4500N
tension

**2 LATERAL
STRAP GUIDE**
for precision
positioning

**1 BOTTOM
STRAP GUIDE**
for precision
positioning

THERMO
Welding

UNDEFEEED
channel under floor
level


INVERTER
head truck control
level

FRICTION
welding

20-70-150 Kg
strap dispenser

SAFETY
pneumatic pins

ROTATING TABLES.



OPTIONS

TURNKEY

TYPE

3 x 1" chains

FEATURES

10 m/min

FEATURES

3000 Kg
product payload

TEMPERED
components

DUST-PROOF


SOFT
start and stop

INVERTER
control

ADJUSTABLE
height +/- 30 mm

CUSTOM
design

UNIQUE FEATURES.



TIME SAVING



EASY MOVIMENTATION AND LOADING



MORE AUTONOMY, PAYLOAD UP TO 1 TON



OPERATOR'S SAFETY, NO MORE COILS LIFTING AS PER ISO 11228



OPTIMIZED STRAP WASTE



LESS RESIDUAL PACKAGING DISPOSAL

FOCUS

IMPROVEMENT



itipack
ADVANCED PACKAGING TECHNOLOGY



WE,
TAKING THE WORLD
ONE STRAPPING
AT THE TIME.

There's only one growth strategy,
WORKING HARD.